

UNIVERSITY OF MAIDUGURI
(Office of the Vice-Chancellor)
Centre for Distance Learning
DEPARTMENT OF BUSINESS MANAGEMENT

EXAMINATION RESULTS

Semester/Session: **1st, 2012/2013**
Course Code: **BUS 101**
Course Title: **Introduction to Business Mathematics**
Course Unit(s): **3**

S/No.	ID. No.	C.A.	Exam	Total	Grades								GP	PGP	Remarks
					A	B+	B	C+	C	D	E	F			
1	07/11/04/02/372	20	20	40							E		1.0	3	PASS
2	09/11/04/02/421	20	20	40							E		1.0	3	PASS
3	09/11/07/01/039	18	22	40							E		1.0	3	PASS
4	09/11/07/01/070	0	8	8								F	0.0	0	FAIL
5	09/11/07/01/110	20	20	40							E		1.0	3	PASS
6	09/11/07/02/102	18	22	40							E		1.0	3	PASS
7	10/11/04/02/004	19	21	40							E		1.0	3	PASS
8	10/11/04/02/037	20	20	40							E		1.0	3	PASS
9	10/11/04/02/057	18	24	42							E		1.0	3	PASS
10	10/11/04/02/082	20	21	41							E		1.0	3	PASS
11	10/11/04/02/084	20	20	40							E		1.0	3	PASS
12	10/11/04/02/091	20	20	40							E		1.0	3	PASS
13	10/11/04/02/184	21	24	45						D			2.0	6	PASS
14	10/11/04/02/249	19	21	40							E		1.0	3	PASS
15	10/11/04/02/276	20	20	40							E		1.0	3	PASS
16	10/11/04/02/342	19	21	40							E		1.0	3	PASS
17	10/11/04/02/373	20	20	40							E		1.0	3	PASS
18	10/11/04/02/428	23	32	55				C+					3.5	10.5	PASS
19	10/11/04/02/521	20	20	40							E		1.0	3	PASS
20	10/11/04/02/593	20	20	40							E		1.0	3	PASS
21	10/11/07/01/122	0	2	2								F	0.0	0	FAIL
22	10/11/07/02/026	20	20	40							E		1.0	3	PASS
23	10/11/07/02/051	20	20	40							E		1.0	3	PASS
24	10/11/07/02/061	20	20	40							E		1.0	3	PASS
25	10/11/07/02/105	20	20	40							E		1.0	3	PASS
26	12/11/04/02/020	20	20	40							E		1.0	3	PASS
27	12/11/04/02/040	6	8	14								F	0.0	0	FAIL
28	12/11/04/02/097	10	14	24								F	0.0	0	FAIL
29	12/11/04/02/138	8	8	16								F	0.0	0	FAIL
30	12/11/04/02/173	10	12	22								F	0.0	0	FAIL
31	12/11/04/02/174	10	11	21								F	0.0	0	FAIL
32	12/11/04/02/175	20	20	40							E		1.0	3	PASS
33	12/11/04/02/182	21	29	50					C				3.0	9	PASS
34	12/11/04/02/205	6	8	14								F	0.0	0	FAIL
35	12/11/04/02/243	18	24	42							E		1.0	3	PASS
36	12/11/04/02/261	20	20	40							E		1.0	3	PASS
37	12/11/04/02/274	20	20	40							E		1.0	3	PASS
38	12/11/04/02/288	10	8	18								F	0.0	0	FAIL
39	12/11/04/02/289	5	6	11								F	0.0	0	FAIL
40	12/11/04/02/307	20	26	46						D			2.0	6	PASS

41	12/11/04/02/320	8	14	22								F	0.0	0	FAIL
42	12/11/04/02/321	19	31	50					C				3.0	9	PASS
43	12/11/04/02/325	20	20	40							E		1.0	3	PASS
44	12/11/04/02/363	20	20	40							E		1.0	3	PASS
45	12/11/04/02/374	10	6	16								F	0.0	0	FAIL
46	12/11/04/02/379	18	23	41							E		1.0	3	PASS
47	12/11/04/02/380	10	8	18								F	0.0	0	FAIL
48	12/11/04/02/384	6	8	14								F	0.0	0	FAIL
49	12/11/04/02/416	10	8	18								F	0.0	0	FAIL
50	12/11/04/02/417	12	11	23								F	0.0	0	FAIL
51	12/11/07/01/002	20	31	51					C				3.0	9	PASS
52	12/11/07/01/003	10	8	18								F	0.0	0	FAIL
53	12/11/07/01/014	8	9	17								F	0.0	0	FAIL
54	12/11/07/01/025	7	8	15								F	0.0	0	FAIL
55	12/11/07/01/026	10	9	19								F	0.0	0	FAIL
56	12/11/07/01/029	20	20	40							E		1.0	3	PASS
57	12/11/07/01/030	23	42	65		B+							4.5	13.5	PASS
58	12/11/07/01/031	10	8	18								F	0.0	0	FAIL
59	12/11/07/01/033	20	20	40							E		1.0	3	PASS
60	12/11/07/01/037	20	25	45						D			2.0	6	PASS
61	12/11/07/01/039	20	20	40							E		1.0	3	PASS
62	12/11/07/01/040	20	20	40							E		1.0	3	PASS
63	12/11/07/01/051	20	20	40							E		1.0	3	PASS
64	12/11/07/01/052	20	20	40							E		1.0	3	PASS
65	12/11/07/01/054	19	22	41							E		1.0	3	PASS
66	12/11/07/01/065	20	20	40							E		1.0	3	PASS
67	12/11/07/01/070	12	10	22								F	0.0	0	FAIL
68	12/11/07/01/079	20	25	45						D			2.0	6	PASS
69	12/11/07/01/086	21	24	45						D			2.0	6	PASS
70	12/11/07/01/087	19	21	40							E		1.0	3	PASS
71	12/11/07/01/098	6	8	14								F	0.0	0	FAIL
72	12/11/07/01/099	20	20	40							E		1.0	3	PASS
73	12/11/07/01/106	18	22	40							E		1.0	3	PASS
74	12/11/07/01/107	21	34	55					C+				3.5	10.5	PASS
75	12/11/07/01/112	21	30	51						C			3.0	9	PASS
76	12/11/07/01/114	9	8	17								F	0.0	0	FAIL
77	12/11/07/01/116	20	20	40							E		1.0	3	PASS
78	12/11/07/01/119	19	26	45						D			2.0	6	PASS
79	12/11/07/01/123	6	8	14								F	0.0	0	FAIL
80	12/11/07/01/124	18	23	41							E		1.0	3	PASS
81	12/11/07/01/126	20	20	40							E		1.0	3	PASS
82	12/11/07/01/127	21	24	45						D			2.0	6	PASS
83	12/11/07/01/131	21	24	45						D			2.0	6	PASS
84	12/11/07/01/133	18	24	42							E		1.0	3	PASS
85	12/11/07/01/134	6	8	14								F	0.0	0	FAIL
86	12/11/07/01/135	22	28	50						C			3.0	9	PASS
87	12/11/07/01/138	22	28	50						C			3.0	9	PASS
88	12/11/07/01/142	20	20	40							E		1.0	3	PASS
89	12/11/07/01/146	4	8	12								F	0.0	0	FAIL
90	12/11/07/01/153	20	20	40							E		1.0	3	PASS
91	12/11/07/01/160	10	8	18								F	0.0	0	FAIL

92	12/11/07/01/165	19	22	41						E		1.0	3	PASS
93	12/11/07/01/168	18	22	40						E		1.0	3	PASS
94	12/11/07/01/170	19	23	42						E		1.0	3	PASS
95	12/11/07/01/171	20	26	46					D			2.0	6	PASS
96	12/11/07/01/174	20	20	40						E		1.0	3	PASS
97	12/11/07/01/177	20	20	40						E		1.0	3	PASS
98	12/11/07/01/179	10	14	24						F		0.0	0	FAIL
99	12/11/07/01/182	19	21	40						E		1.0	3	PASS
100	12/11/07/01/189	22	38	60			B					4.0	12	PASS
101	12/11/07/01/191	18	24	42						E		1.0	3	PASS
102	12/11/07/01/202	20	20	40						E		1.0	3	PASS
103	12/11/07/01/203	4	8	12							F	0.0	0	FAIL
104	12/11/07/01/218	19	31	50				C				3.0	9	PASS
105	12/11/07/01/221	19	21	40						E		1.0	3	PASS
106	12/11/07/01/228	12	10	22							F	0.0	0	FAIL
107	12/11/07/01/232	4	4	8							F	0.0	0	FAIL
108	12/11/07/01/233	8	8	16							F	0.0	0	FAIL
109	12/11/07/01/236	10	12	22							F	0.0	0	FAIL
110	12/11/07/01/239	20	20	40						E		1.0	3	PASS
111	12/11/07/01/251	20	20	40						E		1.0	3	PASS
112	12/11/07/01/253	4	8	12							F	0.0	0	FAIL
113	12/11/07/01/255	8	8	16							F	0.0	0	FAIL
114	12/11/07/01/257	18	22	40						E		1.0	3	PASS
115	12/11/07/01/259	19	21	40						E		1.0	3	PASS
116	12/11/07/01/260	8	9	17							F	0.0	0	FAIL
117	12/11/07/01/261	10	8	18							F	0.0	0	FAIL
118	12/11/07/01/262	4	6	10							F	0.0	0	FAIL
119	12/11/07/01/265	6	0	6							F	0.0	0	FAIL
120	12/11/07/01/268	6	8	14							F	0.0	0	FAIL
121	12/11/07/01/270	6	4	10							F	0.0	0	FAIL
122	12/11/07/01/273	20	30	50				C				3.0	9	PASS
123	12/11/07/01/285	4	8	12							F	0.0	0	FAIL
124	12/11/07/01/291	6	6	12							F	0.0	0	FAIL
125	12/11/07/01/292	20	21	41						E		1.0	3	PASS
126	12/11/07/01/293	19	26	45					D			2.0	6	PASS
127	12/11/07/01/298	6	7	13							F	0.0	0	FAIL
128	12/11/07/01/309	20	20	40						E		1.0	3	PASS
129	12/11/07/01/310	10	12	22							F	0.0	0	FAIL
130	12/11/07/01/316	4	8	12							F	0.0	0	FAIL
131	12/11/07/01/318	10	12	22							F	0.0	0	FAIL
132	12/11/07/01/321	0	2	2							F	0.0	0	FAIL
133	12/11/07/02/001	19	26	45					D			2.0	6	PASS
134	12/11/07/02/005	17	28	45					D			2.0	6	PASS
135	12/11/07/02/018	8	9	17							F	0.0	0	FAIL
136	12/11/07/02/023	20	20	40						E		1.0	3	PASS
137	12/11/07/02/026	20	20	40						E		1.0	3	PASS
138	12/11/07/02/027	10	13	23							F	0.0	0	FAIL
139	12/11/07/02/033	22	28	50				C				3.0	9	PASS
140	12/11/07/02/042	10	14	24							F	0.0	0	FAIL
141	12/11/07/02/043	20	20	40						E		1.0	3	PASS
142	12/11/07/02/056	21	29	50				C				3.0	9	PASS

143	12/11/07/02/066	25	30	55				C+					3.5	10.5	PASS
144	12/11/07/02/068	6	4	10								F	0.0	0	FAIL
145	12/11/07/02/070	10	8	18								F	0.0	0	FAIL
146	12/11/07/02/074	9	8	17								F	0.0	0	FAIL
147	12/11/07/02/080	7	14	21								F	0.0	0	FAIL
148	12/11/07/02/082	20	20	40							E		1.0	3	PASS
149	12/11/07/02/086	11	12	23								F	0.0	0	FAIL
150	12/11/07/02/087	20	25	45						D			2.0	6	PASS
151	12/11/07/02/091	21	48	69			B+						4.5	13.5	PASS
152	12/11/07/02/092	6	8	14								F	0.0	0	FAIL
153	12/11/07/02/094	12	10	22								F	0.0	0	FAIL
154	12/11/07/02/104	6	8	14								F	0.0	0	FAIL
155	12/11/07/02/105	13	10	23								F	0.0	0	FAIL
156	12/11/07/02/109	20	30	50						C			3.0	9	PASS
157	12/11/07/02/121	10	12	22								F	0.0	0	FAIL
158	12/11/07/02/123	10	8	18								F	0.0	0	FAIL
159	12/11/07/02/126	12	14	26								F	0.0	0	FAIL
160	12/11/07/02/130	19	22	41							E		1.0	3	PASS
161	12/11/07/02/137	20	20	40							E		1.0	3	PASS
162	12/11/07/02/139	18	27	45						D			2.0	6	PASS
163	12/11/07/02/140	28	32	60			B						4.0	12	PASS
164	12/11/07/02/142	20	20	40							E		1.0	3	PASS
165	12/11/07/02/143	5	8	13								F	0.0	0	FAIL
166	12/11/07/02/145	4	8	12								F	0.0	0	FAIL
167	12/11/07/02/146	10	8	18								F	0.0	0	FAIL
168	12/11/07/02/149	2	4	6								F	0.0	0	FAIL
169	12/11/07/02/153	12	14	26								F	0.0	0	FAIL
170	12/11/07/02/154	4	6	10								F	0.0	0	FAIL
171	12/11/07/02/155	20	20	40							E		1.0	3	PASS
172	12/11/07/02/157	10	14	24								F	0.0	0	FAIL
173	12/11/07/02/160	7	6	13								F	0.0	0	FAIL
174	12/11/07/02/165	4	4	8								F	0.0	0	FAIL
175	12/11/07/02/169	20	30	50						C			3.0	9	PASS
176	12/11/07/02/177	10	12	22								F	0.0	0	FAIL
177	12/11/07/02/182	18	22	40							E		1.0	3	PASS
178	12/11/07/02/192	20	21	41							E		1.0	3	PASS
179	12/11/07/02/197	19	22	41							E		1.0	3	PASS
180	12/11/07/02/201	20	20	40							E		1.0	3	PASS
181	12/11/07/02/205	6	4	10								F	0.0	0	FAIL
182	12/11/07/02/207	22	50	72			A						5.0	15	PASS
183	12/11/07/02/221	8	7	15								F	0.0	0	FAIL
184	12/11/07/02/225	10	6	16								F	0.0	0	FAIL
185	12/11/07/02/234	4	8	12								F	0.0	0	FAIL
186	12/11/07/02/235	6	4	10								F	0.0	0	FAIL
187	12/11/07/02/238	6	6	12								F	0.0	0	FAIL
188	12/11/07/02/251	8	9	17								F	0.0	0	FAIL
189	12/11/07/02/257	10	6	16								F	0.0	0	FAIL
190	12/11/07/02/266	4	2	6								F	0.0	0	FAIL
191	12/11/07/02/267	20	20	40							E		1.0	3	PASS
192	12/11/07/02/269	20	20	40							E		1.0	3	PASS
193	12/11/07/02/270	12	11	23								F	0.0	0	FAIL

194	12/11/07/02/275	0	2	2								F	0.0	0	FAIL
195	12/11/07/02/278	2	4	6								F	0.0	0	FAIL
196	12/11/07/02/280	4	6	10								F	0.0	0	FAIL
197	12/11/07/02/282	6	6	12								F	0.0	0	FAIL
SUMMARY					1	2	2	3	12	14	75	88			197