

UNIVERSITY OF MAIDUGURI  
(OFFICE OF THE VICE CHANCELLOR)  
CENTRE FOR DISTANCE LEARNING  
**DEPARTMENT OF BUSINESS MANAGEMENT**

EXAMINATION RESULTS

Semester/Session: **1st , 2012/2013**  
Course Code: **BUS 430**  
Course Title: **Consumer Behaviours**  
Course Unit(s): **3**

S/No.	ID. No.	C.A.	Exam	Total	Grades								GP	PGP	Remarks
					A	B+	B	C+	C	D	E	F			
1	08/11/07/02/002	20	49	69		B+							4.5	13.5	PASS
2	08/11/07/02/005	20	35	55				C+					3.5	10.5	PASS
3	08/11/07/02/006	15	47	62			B						4.0	12	PASS
4	08/11/07/02/007	15	52	67		B+							4.5	13.5	PASS
5	08/11/07/02/010	0	23	23								F	0.0	0	FAIL
6	08/11/07/02/012	0	24	24								F	0.0	0	FAIL
7	08/11/07/02/013	0	41	41							E		1.0	3	PASS
8	08/11/07/02/015	0	40	40							E		1.0	3	PASS
9	08/11/07/02/020	16	58	74	A								5.0	15	PASS
10	08/11/07/02/021	15	50	65		B+							4.5	13.5	PASS
11	08/11/07/02/022	16	43	59				C+					3.5	10.5	PASS
12	08/11/07/02/023	0	43	43							E		1.0	3	PASS
13	08/11/07/02/025	21	48	69		B+							4.5	13.5	PASS
14	08/11/07/02/027	18	31	49						D			2.0	6	PASS
15	08/11/07/02/028	16	29	45						D			2.0	6	PASS
16	08/11/07/02/030	0	46	46						D			2.0	6	PASS
17	08/11/07/02/032	0	49	49						D			2.0	6	PASS
18	08/11/07/02/038	18	44	62			B						4.0	12	PASS
19	08/11/07/02/039	0	40	40							E		1.0	3	PASS
20	08/11/07/02/042	20	48	68		B+							4.5	13.5	PASS
21	09/11/07/02/001	18	51	69		B+							4.5	13.5	PASS
22	09/11/07/02/002	15	50	65		B+							4.5	13.5	PASS
23	09/11/07/02/005	14	38	52					C				3.0	9	PASS
24	09/11/07/02/006	20	58	78	A								5.0	15	PASS
25	09/11/07/02/007	14	48	62			B						4.0	12	PASS
26	09/11/07/02/010	18	50	68		B+							4.5	13.5	PASS
27	09/11/07/02/011	20	51	71	A								5.0	15	PASS
28	09/11/07/02/013	0	25	25								F	0.0	0	FAIL
29	09/11/07/02/015	20	49	69		B+							4.5	13.5	PASS
30	09/11/07/02/017	8	8	16								F	0.0	0	FAIL
31	09/11/07/02/018	0	35	35								F	0.0	0	FAIL
32	09/11/07/02/020	24	22	46						D			2.0	6	PASS
33	09/11/07/02/021	18	39	57				C+					3.5	10.5	PASS
34	09/11/07/02/027	20	56	76	A								5.0	15	PASS
35	09/11/07/02/028	20	43	63			B						4.0	12	PASS
36	09/11/07/02/029	12	41	53					C				3.0	9	PASS
37	09/11/07/02/032	20	35	55				C+					3.5	10.5	PASS
38	09/11/07/02/037	0	48	48						D			2.0	6	PASS

39	09/11/07/02/039	0	48	48						D			2.0	6	PASS
40	09/11/07/02/042	20	42	62			B						4.0	12	PASS
41	09/11/07/02/044	14	57	71	A								5.0	15	PASS
42	09/11/07/02/047	14	58	72	A								5.0	15	PASS
43	09/11/07/02/049	15	43	58				C+					3.5	10.5	PASS
44	09/11/07/02/053	0	45	45						D			2.0	6	PASS
45	09/11/07/02/054	20	51	71	A								5.0	15	PASS
46	09/11/07/02/059	19	44	63			B						4.0	12	PASS
47	09/11/07/02/064	20	43	63			B						4.0	12	PASS
48	09/11/07/02/066	0	36	36								F	0.0	0	FAIL
49	09/11/07/02/069	0	20	20								F	0.0	0	FAIL
50	09/11/07/02/073	18	41	59				C+					3.5	10.5	PASS
51	09/11/07/02/074	20	39	59				C+					3.5	10.5	PASS
52	09/11/07/02/075	15	40	55				C+					3.5	10.5	PASS
53	09/11/07/02/076	18	24	42							E		1.0	3	PASS
54	09/11/07/02/077	17	33	50					C				3.0	9	PASS
55	09/11/07/02/078	20	40	60			B						4.0	12	PASS
56	09/11/07/02/079	0	40	40							E		1.0	3	PASS
57	09/11/07/02/080	21	45	66		B+							4.5	13.5	PASS
58	09/11/07/02/081	12	11	23								F	0.0	0	FAIL
59	09/11/07/02/083	20	43	63			B						4.0	12	PASS
60	09/11/07/02/084	20	42	62			B						4.0	12	PASS
61	09/11/07/02/085	0	33	33								F	0.0	0	FAIL
62	09/11/07/02/086	10	45	55				C+					3.5	10.5	PASS
63	09/11/07/02/087	20	41	61			B						4.0	12	PASS
64	09/11/07/02/088	15	30	45						D			2.0	6	PASS
65	09/11/07/02/090	20	35	55				C+					3.5	10.5	PASS
66	09/11/07/02/091	15	16	31								F	0.0	0	FAIL
67	09/11/07/02/092	15	29	44							E		1.0	3	PASS
68	09/11/07/02/095	16	55	71	A								5.0	15	PASS
69	09/11/07/02/096	18	43	61			B						4.0	12	PASS
70	09/11/07/02/097	16	24	40							E		1.0	3	PASS
71	09/11/07/02/098	0	36	36								F	0.0	0	FAIL
72	09/11/07/02/100	14	39	53					C				3.0	9	PASS
73	09/11/07/02/103	12	14	26								F	0.0	0	FAIL
74	09/11/07/02/106	12	30	42							E		1.0	3	PASS
75	09/11/07/02/108	0	44	44							E		1.0	3	PASS
76	09/11/07/02/109	0	38	38								F	0.0	0	FAIL
77	09/11/07/02/113	15	34	49						D			2.0	6	PASS
	<b>EDUCATION</b>														
78	07/11/04/02/222	15	30	45						D			2.0	6	PASS
79	07/11/04/02/223	15	35	50					C				3.0	9	PASS
80	07/11/04/02/249	18	33	51					C				3.0	9	PASS
81	07/11/04/02/251	14	38	52					C				3.0	9	PASS
82	07/11/04/02/263	10	31	41							E		1.0	3	PASS
83	07/11/04/02/344	18	27	45						D			2.0	6	PASS
84	07/11/04/02/401	16	34	50					C				3.0	9	PASS
85	08/11/04/02/001	20	35	55				C+					3.5	10.5	PASS
86	08/11/04/02/004	14	34	48						D			2.0	6	PASS

87	08/11/04/02/005	11	31	42						E		1.0	3	PASS
88	08/11/04/02/013	15	44	59			C+					3.5	10.5	PASS
89	08/11/04/02/020	12	34	46					D			2.0	6	PASS
90	08/11/04/02/023	24	37	61			B					4.0	12	PASS
91	08/11/04/02/024	18	38	56			C+					3.5	10.5	PASS
92	08/11/04/02/025	18	39	57			C+					3.5	10.5	PASS
93	08/11/04/02/030	18	25	43						E		1.0	3	PASS
94	08/11/04/02/032	18	43	61			B					4.0	12	PASS
95	08/11/04/02/045	18	43	61			B					4.0	12	PASS
96	08/11/04/02/046	10	38	48					D			2.0	6	PASS
97	08/11/04/02/053	14	40	54					C			3.0	9	PASS
98	08/11/04/02/057	14	34	48					D			2.0	6	PASS
99	08/11/04/02/058	24	37	61			B					4.0	12	PASS
100	08/11/04/02/060	8	17	25						F		0.0	0	FAIL
101	08/11/04/02/067	20	20	40						E		1.0	3	PASS
102	08/11/04/02/095	14	42	56			C+					3.5	10.5	PASS
103	08/11/04/02/096	10	35	45					D			2.0	6	PASS
104	08/11/04/02/109	20	28	48					D			2.0	6	PASS
105	08/11/04/02/111	10	35	45					D			2.0	6	PASS
106	08/11/04/02/127	12	29	41						E		1.0	3	PASS
107	08/11/04/02/130	14	34	48					D			2.0	6	PASS
108	08/11/04/02/134	18	58	76	A							5.0	15	PASS
109	08/11/04/02/137	15	44	59			C+					3.5	10.5	PASS
110	08/11/04/02/152	13	27	40						E		1.0	3	PASS
111	08/11/04/02/154	17	29	46					D			2.0	6	PASS
112	08/11/04/02/163	15	34	49					D			2.0	6	PASS
113	08/11/04/02/164	14	26	40						E		1.0	3	PASS
114	08/11/04/02/165	10	37	47					D			2.0	6	PASS
115	08/11/04/02/170	10	35	45					D			2.0	6	PASS
116	08/11/04/02/173	15	25	40						E		1.0	3	PASS
117	08/11/04/02/178	16	32	48					D			2.0	6	PASS
118	08/11/04/02/179	18	50	68		B+						4.5	13.5	PASS
119	08/11/04/02/187	17	39	56			C+					3.5	10.5	PASS
120	08/11/04/02/191	10	36	46					D			2.0	6	PASS
121	08/11/04/02/196	25	24	49					D			2.0	6	PASS
122	08/11/04/02/198	0	40	40						E		1.0	3	PASS
123	08/11/04/02/199	0	44	44						E		1.0	3	PASS
124	08/11/04/02/213	16	28	44						E		1.0	3	PASS
125	08/11/04/02/214	20	49	69		B+						4.5	13.5	PASS
126	08/11/04/02/222	15	52	67		B+						4.5	13.5	PASS
127	08/11/04/02/225	15	33	48					D			2.0	6	PASS
128	08/11/04/02/231	10	34	44						E		1.0	3	PASS
129	08/11/04/02/232	10	34	44						E		1.0	3	PASS
130	08/11/04/02/233	14	48	62			B					4.0	12	PASS
131	08/11/04/02/234	15	25	40						E		1.0	3	PASS
132	08/11/04/02/236	0	48	48					D			2.0	6	PASS
133	08/11/04/02/248	18	42	60			B					4.0	12	PASS
134	08/11/04/02/250	18	32	50					C			3.0	9	PASS
135	08/11/04/02/255	18	44	62			B					4.0	12	PASS

136	08/11/04/02/256	15	48	63			B					4.0	12	PASS
137	08/11/04/02/259	15	45	60			B					4.0	12	PASS
138	08/11/04/02/261	14	31	45						D		2.0	6	PASS
139	08/11/04/02/262	18	27	45						D		2.0	6	PASS
140	08/11/04/02/264	18	22	40						E		1.0	3	PASS
141	08/11/04/02/269	8	56	64			B					4.0	12	PASS
142	08/11/04/02/270	16	30	46						D		2.0	6	PASS
143	08/11/04/02/271	12	46	58			C+					3.5	10.5	PASS
144	09/11/04/02/013	12	35	47						D		2.0	6	PASS
145	09/11/04/02/014	14	43	57			C+					3.5	10.5	PASS
146	09/11/04/02/017	18	26	44						E		1.0	3	PASS
147	09/11/04/02/026	16	15	31							F	0.0	0	FAIL
148	09/11/04/02/027	15	39	54					C			3.0	9	PASS
149	09/11/04/02/029	13	47	60			B					4.0	12	PASS
150	09/11/04/02/037	22	28	50					C			3.0	9	PASS
151	09/11/04/02/038	25	33	58			C+					3.5	10.5	PASS
152	09/11/04/02/050	20	44	64			B					4.0	12	PASS
153	09/11/04/02/058	20	40	60			B					4.0	12	PASS
154	09/11/04/02/059	10	41	51					C			3.0	9	PASS
155	09/11/04/02/063	15	39	54					C			3.0	9	PASS
156	09/11/04/02/068	10	40	50					C			3.0	9	PASS
157	09/11/04/02/071	11	43	54					C			3.0	9	PASS
158	09/11/04/02/079	16	24	40						E		1.0	3	PASS
159	09/11/04/02/083	18	24	42						E		1.0	3	PASS
160	09/11/04/02/090	18	45	63			B					4.0	12	PASS
161	09/11/04/02/094	18	45	63			B					4.0	12	PASS
162	09/11/04/02/099	14	27	41						E		1.0	3	PASS
163	09/11/04/02/100	18	24	42						E		1.0	3	PASS
164	09/11/04/02/103	20	39	59			C+					3.5	10.5	PASS
165	09/11/04/02/109	20	26	46						D		2.0	6	PASS
166	09/11/04/02/118	8	12	20							F	0.0	0	FAIL
167	09/11/04/02/119	10	32	42						E		1.0	3	PASS
168	09/11/04/02/139	19	59	78	A							5.0	15	PASS
169	09/11/04/02/141	18	33	51					C			3.0	9	PASS
170	09/11/04/02/142	18	51	69		B+						4.5	13.5	PASS
171	09/11/04/02/145	17	23	40						E		1.0	3	PASS
172	09/11/04/02/151	10	35	45						D		2.0	6	PASS
173	09/11/04/02/154	15	25	40						E		1.0	3	PASS
174	09/11/04/02/155	18	24	42						E		1.0	3	PASS
175	09/11/04/02/159	13	38	51					C			3.0	9	PASS
176	09/11/04/02/164	8	42	50					C			3.0	9	PASS
177	09/11/04/02/169	18	43	61			B					4.0	12	PASS
178	09/11/04/02/173	14	41	55			C+					3.5	10.5	PASS
179	09/11/04/02/176	20	39	59			C+					3.5	10.5	PASS
180	09/11/04/02/181	19	30	49						D		2.0	6	PASS
181	09/11/04/02/182	0	42	42						E		1.0	3	PASS
182	09/11/04/02/190	14	44	58			C+					3.5	10.5	PASS
183	09/11/04/02/196	25	24	49						D		2.0	6	PASS
184	09/11/04/02/198	11	43	54					C			3.0	9	PASS

185	09/11/04/02/209	11	15	26								F	0.0	0	FAIL
186	09/11/04/02/212	15	33	48						D			2.0	6	PASS
187	09/11/04/02/214	12	31	43							E		1.0	3	PASS
188	09/11/04/02/215	18	37	55				C+					3.5	10.5	PASS
189	09/11/04/02/217	20	30	50					C				3.0	9	PASS
190	09/11/04/02/224	15	43	58				C+					3.5	10.5	PASS
191	09/11/04/02/228	10	12	22								F	0.0	0	FAIL
192	09/11/04/02/229	12	28	40							E		1.0	3	PASS
193	09/11/04/02/230	13	27	40							E		1.0	3	PASS
194	09/11/04/02/232	24	36	60			B						4.0	12	PASS
195	09/11/04/02/234	20	55	75	A								5.0	15	PASS
196	09/11/04/02/235	22	28	50					C				3.0	9	PASS
197	09/11/04/02/240	19	37	56				C+					3.5	10.5	PASS
198	09/11/04/02/241	10	34	44							E		1.0	3	PASS
199	09/11/04/02/260	16	58	74	A								5.0	15	PASS
200	09/11/04/02/270	15	30	45						D			2.0	6	PASS
201	09/11/04/02/274	20	33	53					C				3.0	9	PASS
202	09/11/04/02/280	16	29	45						D			2.0	6	PASS
203	09/11/04/02/286	14	17	31								F	0.0	0	FAIL
204	09/11/04/02/289	22	18	40							E		1.0	3	PASS
205	09/11/04/02/293	14	33	47						D			2.0	6	PASS
206	09/11/04/02/294	20	31	51					C				3.0	9	PASS
207	09/11/04/02/295	16	26	42							E		1.0	3	PASS
208	09/11/04/02/301	0	16	16								F	0.0	0	FAIL
209	09/11/04/02/310	18	39	57				C+					3.5	10.5	PASS
210	09/11/04/02/313	25	29	54					C				3.0	9	PASS
211	09/11/04/02/317	11	43	54					C				3.0	9	PASS
212	09/11/04/02/333	18	30	48						D			2.0	6	PASS
213	09/11/04/02/336	12	31	43							E		1.0	3	PASS
214	09/11/04/02/338	0	22	22								F	0.0	0	FAIL
215	09/11/04/02/341	11	36	47						D			2.0	6	PASS
216	09/11/04/02/342	0	19	19								F	0.0	0	FAIL
217	09/11/04/02/348	20	46	66		B+							4.5	13.5	PASS
218	09/11/04/02/353	16	31	47						D			2.0	6	PASS
219	09/11/04/02/355	10	11	21								F	0.0	0	FAIL
220	09/11/04/02/359	8	38	46						D			2.0	6	PASS
221	09/11/04/02/364	12	32	44							E		1.0	3	PASS
222	09/11/04/02/365	20	26	46						D			2.0	6	PASS
223	09/11/04/02/374	18	22	40							E		1.0	3	PASS
224	09/11/04/02/378	14	26	40							E		1.0	3	PASS
225	09/11/04/02/380	13	17	30								F	0.0	0	FAIL
226	09/11/04/02/381	14	5	19								F	0.0	0	FAIL
227	09/11/04/02/392	14	33	47						D			2.0	6	PASS
228	09/11/04/02/399	18	39	57				C+					3.5	10.5	PASS
229	09/11/04/02/403	18	22	40							E		1.0	3	PASS
230	09/11/04/02/408	15	39	54					C				3.0	9	PASS
231	09/11/04/02/411	18	45	63			B						4.0	12	PASS
232	09/11/04/02/414	24	21	45						D			2.0	6	PASS
233	09/11/04/02/415	11	35	46						D			2.0	6	PASS

234	09/11/04/02/416	12	31	43						E		1.0	3	PASS
235	09/11/04/02/417	12	35	47						D		2.0	6	PASS
236	09/11/04/02/425	10	13	23							F	0.0	0	FAIL
237	09/11/04/02/434	14	32	46						D		2.0	6	PASS
238	09/11/04/02/435	12	16	28							F	0.0	0	FAIL
239	09/11/04/02/436	0	24	24							F	0.0	0	FAIL
240	09/11/04/02/442	18	29	47						D		2.0	6	PASS
241	09/11/04/02/449	16	31	47						D		2.0	6	PASS
242	09/11/04/02/454	14	27	41							E	1.0	3	PASS
243	09/11/04/02/458	16	31	47						D		2.0	6	PASS
244	09/11/04/02/462	13	27	40							E	1.0	3	PASS
245	09/11/04/02/472	18	44	62			B					4.0	12	PASS
246	09/11/04/02/478	10	35	45						D		2.0	6	PASS
247	09/11/04/02/486	14	27	41							E	1.0	3	PASS
248	09/11/04/02/490	16	13	29							F	0.0	0	FAIL
249	09/11/04/02/497	18	36	54					C			3.0	9	PASS
250	09/11/04/02/500	15	37	52					C			3.0	9	PASS
	<b>Summary:</b>				<b>12</b>	<b>15</b>	<b>31</b>	<b>29</b>	<b>29</b>	<b>55</b>	<b>50</b>	<b>29</b>		<b>250</b>