

University of Maiduguri
Office of Vice-Chancellor
Center for Distance Learning

DEPARTMENT OF CONTINUING EDUCATION AND EXTENSION SERVICES
EXAMINATION RESULT

Semster/Session: **1st 2012/2013**
Course Code: **CEA 201**
Course Title: **Philosophy of Adult Education**
Course Unit(s): **2**

S/No	ID No.	C.A	Exam	Total	Grades								GP	PGP	Remark
					A	B+	B	C+	C	D	E	F			
1	08/11/04/01/010	18	42	60			B						4.0	8	PASS
2	09/11/04/01/076	16	25	41							E		1.0	2	PASS
3	10/11/04/01/001	17	33	50					C				3.0	6	PASS
4	10/11/04/01/002	18	34	52					C				3.0	6	PASS
5	10/11/04/01/003	17	35	52					C				3.0	6	PASS
6	10/11/04/01/004	17	34	51					C				3.0	6	PASS
7	10/11/04/01/005	15	36	51					C				3.0	6	PASS
8	10/11/04/01/006	17	43	60			B						4.0	8	PASS
9	10/11/04/01/008	20	50	70	A								5.0	10	PASS
10	10/11/04/01/009	17	43	60			B						4.0	8	PASS
11	10/11/04/01/011	17	38	55				C+					3.5	7	PASS
12	10/11/04/01/012	17	24	41							E		1.0	2	PASS
13	10/11/04/01/022	17	38	55				C+					3.5	7	PASS
14	10/11/04/01/025	17	30	47						D			2.0	4	PASS
15	10/11/04/01/029	17	34	51					C				3.0	6	PASS
16	10/11/04/01/034	17	36	53					C				3.0	6	PASS
17	10/11/04/01/035	15	28	43							E		1.0	2	PASS
18	10/11/04/01/043	17	31	48						D			2.0	4	PASS
19	10/11/04/01/046	17	47	64			B						4.0	8	PASS
20	10/11/04/01/047	17	36	53					C				3.0	6	PASS
21	10/11/04/01/048	17	47	64			B						4.0	8	PASS
22	10/11/04/01/049	15	32	47						D			2.0	4	PASS
23	10/11/04/01/051	18	42	60			B						4.0	8	PASS
24	10/11/04/01/054	17	35	52					C				3.0	6	PASS
25	10/11/04/01/056	17	41	58				C+					3.5	7	PASS
26	10/11/04/01/057	17	48	65		B+							4.5	9	PASS
27	10/11/04/01/059	17	36	53					C				3.0	6	PASS
28	10/11/04/01/060	17	35	52					C				3.0	6	PASS
29	10/11/04/01/063	18	42	60			B						4.0	8	PASS
30	10/11/04/01/065	17	45	62			B						4.0	8	PASS
31	10/11/04/01/066	17	46	63			B						4.0	8	PASS
32	10/11/04/01/067	18	52	70	A								5.0	10	PASS
33	10/11/04/01/069	17	28	45						D			2.0	4	PASS
34	10/11/04/01/071	17	32	49						D			2.0	4	PASS
35	10/11/04/01/075	17	32	49						D			2.0	4	PASS
36	10/11/04/01/083	15	31	46						D			2.0	4	PASS
37	10/11/04/01/084	17	50	67		B+							4.5	9	PASS
38	10/11/04/01/090	17	45	62			B						4.0	8	PASS
39	10/11/04/01/091	18	47	65		B+							4.5	9	PASS
40	10/11/04/01/092	18	42	60			B						4.0	8	PASS
41	10/11/04/01/097	18	34	52					C				3.0	6	PASS
42	10/11/04/01/100	17	23	40							E		1.0	2	PASS
43	10/11/04/01/102	18	30	48						D			2.0	4	PASS

44	10/11/04/01/108	17	35	52					C				3.0	6	PASS
45	10/11/04/01/110	18	42	60			B						4.0	8	PASS
46	10/11/04/01/111	17	47	64			B						4.0	8	PASS
47	10/11/04/01/113	20	40	60			B						4.0	8	PASS
48	10/11/04/01/115	17	36	53					C				3.0	6	PASS
49	10/11/04/01/118	17	24	41							E		1.0	2	PASS
50	10/11/04/01/121	17	30	47						D			2.0	4	PASS
51	10/11/04/01/122	17	28	45						D			2.0	4	PASS
52	10/11/04/01/124	17	33	50					C				3.0	6	PASS
53	10/11/04/01/125	17	34	51					C				3.0	6	PASS
54	10/11/04/01/129	18	42	60			B						4.0	8	PASS
55	10/11/04/01/130	18	45	63			B						4.0	8	PASS
56	10/11/04/01/135	17	50	67			B+						4.5	9	PASS
57	10/11/04/01/139	17	34	51					C				3.0	6	PASS
58	10/11/04/01/141	18	39	57					C+				3.5	7	PASS
59	10/11/04/01/142	17	38	55					C+				3.5	7	PASS
60	10/11/04/01/144	17	45	62			B						4.0	8	PASS
61	10/11/04/01/146	18	39	57					C+				3.5	7	PASS
62	10/11/04/01/147	18	23	41							E		1.0	2	PASS
63	10/11/04/01/148	15	39	54					C				3.0	6	PASS
64	10/11/04/01/151	18	37	55					C+				3.5	7	PASS
65	10/11/04/01/152	18	36	54					C				3.0	6	PASS
66	10/11/04/01/158	17	47	64			B						4.0	8	PASS
67	10/11/04/01/160	18	30	48						D			2.0	4	PASS
68	10/11/04/01/161	18	22	40							E		1.0	2	PASS
69	10/11/04/01/164	19	21	40							E		1.0	2	PASS
70	10/11/04/01/171	16	24	40							E		1.0	2	PASS
71	10/11/04/01/175	17	24	41							E		1.0	2	PASS
72	10/11/04/01/176	17	28	45						D			2.0	4	PASS
73	10/11/04/01/178	17	33	50					C				3.0	6	PASS
74	10/11/04/01/181	18	36	54					C				3.0	6	PASS
75	10/11/04/01/184	18	42	60			B						4.0	8	PASS
76	10/11/04/01/185	17	26	43							E		1.0	2	PASS
77	10/11/04/01/186	16	41	57					C+				3.5	7	PASS
78	10/11/04/01/190	17	46	63			B						4.0	8	PASS
79	10/11/04/01/193	18	26	44							E		1.0	2	PASS
80	10/11/04/01/194	17	25	42							E		1.0	2	PASS
81	10/11/04/01/195	18	40	58					C+				3.5	7	PASS
82	10/11/04/01/197	17	47	64			B						4.0	8	PASS
83	10/11/04/01/198	18	32	50					C				3.0	6	PASS
84	10/11/04/01/199	20	36	56					C+				3.5	7	PASS
85	10/11/04/01/201	18	39	57					C+				3.5	7	PASS
86	10/11/04/01/202	17	49	66			B+						4.5	9	PASS
87	10/11/04/01/207	17	35	52					C				3.0	6	PASS
88	10/11/04/01/211	18	22	40							E		1.0	2	PASS
89	10/11/04/01/220	18	30	48						D			2.0	4	PASS
90	10/11/04/01/221	18	24	42							E		1.0	2	PASS
91	10/11/04/01/222	18	32	50					C				3.0	6	PASS
92	10/11/04/01/223	16	24	40							E		1.0	2	PASS
93	10/11/04/01/225	18	47	65			B+						4.5	9	PASS
94	10/11/04/01/226	18	27	45						D			2.0	4	PASS
95	10/11/04/01/227	15	29	44							E		1.0	2	PASS
96	10/11/04/01/229	17	48	65			B+						4.5	9	PASS
97	10/11/04/01/238	16	32	48						D			2.0	4	PASS

98	10/11/04/01/240	17	31	48						D			2.0	4	PASS
99	10/11/04/01/241	26	21	47						D			2.0	4	PASS
100	10/11/04/01/242	18	28	46						D			2.0	4	PASS
101	10/11/04/01/243	16	45	61			B						4.0	8	PASS
102	10/11/04/01/245	18	23	41							E		1.0	2	PASS
103	10/11/04/01/251	18	37	55				C+					3.5	7	PASS
104	10/11/04/01/254	20	50	70	A								5.0	10	PASS
105	10/11/04/01/255	18	37	55				C+					3.5	7	PASS
106	10/11/04/01/258	18	49	67		B+							4.5	9	PASS
107	10/11/04/01/259	20	35	55				C+					3.5	7	PASS
108	10/11/04/01/260	20	44	64			B						4.0	8	PASS
109	10/11/04/01/268	18	34	52					C				3.0	6	PASS
110	10/11/04/01/273	17	31	48						D			2.0	4	PASS
111	10/11/04/01/279	17	37	54					C				3.0	6	PASS
112	10/11/04/01/281	17	10	27								F	0	0	FAIL
113	10/11/04/01/282	17	27	44							E		1.0	2	PASS
114	10/11/04/01/292	18	22	40							E		1.0	2	PASS
115	10/11/04/01/299	16	29	45						D			2.0	4	PASS
116	10/11/04/01/300	17	43	60			B						4.0	8	PASS
117	10/11/04/01/301	17	43	60			B						4.0	8	PASS
118	10/11/04/01/302	18	37	55				C+					3.5	7	PASS
119	10/11/04/01/303	17	35	52					C				3.0	6	PASS
120	10/11/04/01/307	17	33	50					C				3.0	6	PASS
121	10/11/04/03/001	18	26	44							E		1.0	2	PASS
122	10/11/04/03/006	17	25	42							E		1.0	2	PASS
123	10/11/04/03/009	20	50	70	A								5.0	10	PASS
124	10/11/04/03/011	17	26	43							E		1.0	2	PASS
125	10/11/04/03/013	18	26	44							E		1.0	2	PASS
126	10/11/04/03/015	18	22	40							E		1.0	2	PASS
127	10/11/04/03/025	18	33	51					C				3.0	6	PASS
128	10/11/04/03/031	17	24	41							E		1.0	2	PASS
129	10/11/04/03/035	17	28	45						D			2.0	4	PASS
130	10/11/04/03/036	18	37	55				C+					3.5	7	PASS
131	10/11/04/03/037	17	30	47						D			2.0	4	PASS
132	12/11/04/01/002	17	31	48						D			2.0	4	PASS
133	12/11/04/01/005	18	30	48						D			2.0	4	PASS
134	12/11/04/01/006	18	48	66		B+							4.5	9	PASS
135	12/11/04/01/007	18	22	40							E		1.0	2	PASS
136	12/11/04/01/013	18	36	54					C				3.0	6	PASS
137	12/11/04/01/015	18	47	65		B+							4.5	9	PASS
138	12/11/04/01/016	18	37	55				C+					3.5	7	PASS
139	12/11/04/01/020	17	33	50					C				3.0	6	PASS
140	12/11/04/01/021	18	28	46						D			2.0	4	PASS
141	12/11/04/01/023	18	22	40							E		1.0	2	PASS
142	12/11/04/01/024	17	33	50					C				3.0	6	PASS
143	12/11/04/01/025	18	34	52					C				3.0	6	PASS
144	12/11/04/01/029	18	47	65		B+							4.5	9	PASS
145	12/11/04/01/030	17	35	52					C				3.0	6	PASS
146	12/11/04/01/033	18	47	65		B+							4.5	9	PASS
147	12/11/04/01/035	18	22	40							E		1.0	2	PASS
148	12/11/04/01/036	17	41	58				C+					3.5	7	PASS
149	12/11/04/01/038	18	28	46						D			2.0	4	PASS
150	12/11/04/01/039	17	23	40							E		1.0	2	PASS
151	12/11/04/01/040	17	45	62			B						4.0	8	PASS

152	12/11/04/01/041	17	28	45					D			2.0	4	PASS
153	12/11/04/01/042	19	23	42						E		1.0	2	PASS
154	12/11/04/01/043	17	44	61			B					4.0	8	PASS
155	12/11/04/01/045	17	30	47					D			2.0	4	PASS
156	12/11/04/01/046	17	47	64			B					4.0	8	PASS
157	12/11/04/01/048	17	39	56				C+				3.5	7	PASS
158	12/11/04/01/050	17	37	54					C			3.0	6	PASS
159	12/11/04/01/051	18	36	54					C			3.0	6	PASS
160	12/11/04/01/052	18	32	50					C			3.0	6	PASS
161	12/11/04/01/053	17	36	53					C			3.0	6	PASS
162	12/11/04/01/054	18	39	57				C+				3.5	7	PASS
163	12/11/04/01/056	17	25	42						E		1.0	2	PASS
164	12/11/04/01/060	18	36	54					C			3.0	6	PASS
165	12/11/04/01/061	15	37	52					C			3.0	6	PASS
166	12/11/04/01/062	17	48	65			B+					4.5	9	PASS
167	12/11/04/01/068	18	35	53					C			3.0	6	PASS
168	12/11/04/01/070	17	24	41						E		1.0	2	PASS
169	12/11/04/01/072	17	46	63			B					4.0	8	PASS
170	12/11/04/01/074	17	28	45						D		2.0	4	PASS
171	12/11/04/01/075	18	37	55				C+				3.5	7	PASS
172	12/11/04/01/076	18	22	40						E		1.0	2	PASS
173	12/11/04/01/077	17	30	47						D		2.0	4	PASS
174	12/11/04/01/079	17	45	62			B					4.0	8	PASS
175	12/11/04/01/080	17	23	40						E		1.0	2	PASS
176	12/11/04/01/083	17	23	40						E		1.0	2	PASS
177	12/11/04/01/084	18	23	41						E		1.0	2	PASS
178	12/11/04/01/085	17	33	50					C			3.0	6	PASS
179	12/11/04/01/086	16	34	50					C			3.0	6	PASS
180	12/11/04/01/087	18	22	40						E		1.0	2	PASS
181	12/11/04/01/088	17	27	44						E		1.0	2	PASS
182	12/11/04/01/089	17	26	43						E		1.0	2	PASS
183	12/11/04/01/090	16	32	48						D		2.0	4	PASS
184	12/11/04/01/092	18	47	65			B+					4.5	9	PASS
185	12/11/04/01/093	18	22	40						E		1.0	2	PASS
186	12/11/04/01/094	18	47	65			B+					4.5	9	PASS
187	12/11/04/01/095	18	42	60			B					4.0	8	PASS
188	12/11/04/01/097	17	46	63			B					4.0	8	PASS
189	12/11/04/01/098	18	46	64			B					4.0	8	PASS
190	12/11/04/01/100	18	42	60			B					4.0	8	PASS
191	12/11/04/01/101	16	44	60			B					4.0	8	PASS
192	12/11/04/01/103	17	38	55				C+				3.5	7	PASS
193	12/11/04/01/104	18	22	40						E		1.0	2	PASS
194	12/11/04/01/105	12	36	48						D		2.0	4	PASS
195	12/11/04/01/107	17	36	53					C			3.0	6	PASS
196	12/11/04/01/108	15	28	43						E		1.0	2	PASS
197	12/11/04/01/115	17	45	62			B					4.0	8	PASS
198	12/11/04/01/117	18	36	54					C			3.0	6	PASS
199	12/11/04/01/118	17	45	62			B					4.0	8	PASS
200	12/11/04/01/119	17	33	50					C			3.0	6	PASS
201	12/11/04/01/120	17	31	48						D		2.0	4	PASS
202	12/11/04/01/121	18	32	50					C			3.0	6	PASS
203	12/11/04/01/122	18	22	40						E		1.0	2	PASS
204	12/11/04/01/123	17	35	52					C			3.0	6	PASS
205	12/11/04/01/124	17	31	48						D		2.0	4	PASS

206	12/11/04/01/125	17	36	53					C				3.0	6	PASS
207	12/11/04/01/128	16	32	48						D			2.0	4	PASS
208	12/11/04/01/130	17	35	52					C				3.0	6	PASS
209	12/11/04/01/131	18	42	60			B						4.0	8	PASS
210	12/11/04/01/132	17	30	47						D			2.0	4	PASS
211	12/11/04/01/133	19	21	40							E		1.0	2	PASS
212	12/11/04/01/135	17	34	51					C				3.0	6	PASS
213	12/11/04/01/136	18	36	54					C				3.0	6	PASS
214	12/11/04/01/137	18	23	41							E		1.0	2	PASS
215	12/11/04/01/138	17	46	63			B						4.0	8	PASS
216	12/11/04/01/139	18	22	40							E		1.0	2	PASS
217	12/11/04/01/140	17	26	43							E		1.0	2	PASS
218	12/11/04/01/141	17	26	43							E		1.0	2	PASS
219	12/11/04/01/142	18	22	40							E		1.0	2	PASS
220	12/11/04/01/143	17	14	31								F	0	0	FAIL
221	12/11/04/01/145	17	43	60			B						4.0	8	PASS
222	12/11/04/01/146	17	25	42							E		1.0	2	PASS
223	12/11/04/01/147	15	43	58					C+				3.5	7	PASS
224	12/11/04/01/150	16	37	53					C				3.0	6	PASS
225	12/11/04/01/153	17	24	41							E		1.0	2	PASS
226	12/11/04/01/154	17	24	41							E		1.0	2	PASS
227	12/11/04/01/156	17	24	41							E		1.0	2	PASS
228	12/11/04/01/157	17	36	53					C				3.0	6	PASS
229	12/11/04/01/158	18	22	40							E		1.0	2	PASS
230	12/11/04/01/159	15	27	42							E		1.0	2	PASS
231	12/11/04/01/161	17	23	40							E		1.0	2	PASS
232	12/11/04/01/162	17	36	53					C				3.0	6	PASS
233	12/11/04/01/163	17	25	42							E		1.0	2	PASS
234	12/11/04/01/165	20	50	70	A								5.0	10	PASS
235	12/11/04/01/166	15	32	47							D		2.0	4	PASS
236	12/11/04/01/169	17	44	61			B						4.0	8	PASS
237	12/11/04/01/172	18	45	63			B						4.0	8	PASS
238	12/11/04/01/174	17	43	60			B						4.0	8	PASS
239	12/11/04/01/175	18	36	54					C				3.0	6	PASS
240	12/11/04/01/176	17	45	62			B						4.0	8	PASS
241	12/11/04/01/181	15	42	57					C+				3.5	7	PASS
242	12/11/04/01/183	18	37	55					C+				3.5	7	PASS
243	12/11/04/01/185	17	43	60			B						4.0	8	PASS
244	12/11/04/01/186	17	45	62			B						4.0	8	PASS
245	12/11/04/01/187	17	31	48							D		2.0	4	PASS
246	12/11/04/01/188	18	33	51					C				3.0	6	PASS
247	12/11/04/01/189	18	47	65			B+						4.5	9	PASS
248	12/11/04/01/190	18	32	50					C				3.0	6	PASS
249	12/11/04/01/191	17	43	60			B						4.0	8	PASS
250	12/11/04/01/192	18	25	43							E		1.0	2	PASS
251	12/11/04/01/193	18	27	45							D		2.0	4	PASS
252	12/11/04/01/199	18	36	54					C				3.0	6	PASS
253	12/11/04/01/201	18	14	32								F	0	0	FAIL
254	12/11/04/01/205	17	39	56					C+				3.5	7	PASS
255	12/11/04/01/208	17	38	55					C+				3.5	7	PASS
256	12/11/04/01/209	17	34	51					C				3.0	6	PASS
257	12/11/04/01/210	18	23	41							E		1.0	2	PASS
258	12/11/04/01/211	18	22	40							E		1.0	2	PASS
259	12/11/04/01/212	15	28	43							E		1.0	2	PASS

260	12/11/04/01/213	17	26	43						E		1.0	2	PASS
261	12/11/04/01/215	17	26	43						E		1.0	2	PASS
262	12/11/04/01/216	17	26	43						E		1.0	2	PASS
263	12/11/04/01/217	17	40	57			C+					3.5	7	PASS
264	12/11/04/03/001	18	40	58			C+					3.5	7	PASS
265	12/11/04/03/002	18	24	42						E		1.0	2	PASS
266	12/11/04/03/006	16	40	56			C+					3.5	7	PASS
267	12/11/04/03/012	17	26	43						E		1.0	2	PASS
268	12/11/04/03/015	17	25	42						E		1.0	2	PASS
269	12/11/04/03/016	17	29	46					D			2.0	4	PASS
270	12/11/04/03/019	18	42	60		B						4.0	8	PASS
271	12/11/04/03/020	18	23	41						E		1.0	2	PASS
272	12/11/04/03/021	18	30	48					D			2.0	4	PASS
273	12/11/04/03/022	17	43	60		B						4.0	8	PASS
274	12/11/04/03/028	17	34	51				C				3.0	6	PASS
275	12/11/04/03/029	17	37	54				C				3.0	6	PASS
276	12/11/04/03/031	17	23	40						E		1.0	2	PASS
277	12/11/04/03/033	17	43	60		B						4.0	8	PASS
278	12/11/04/03/035	18	28	46					D			2.0	4	PASS
279	12/11/04/03/037	18	35	53				C				3.0	6	PASS
280	12/11/04/03/038	18	6	24						F		0	0	FAIL
281	12/11/04/03/039	17	36	53				C				3.0	6	PASS
	SUMMARY				5	16	50	30	64	42	70	4		281