

University of Maiduguri
Office of Vice-Chancellor
Center for Distance Learning

DEPARTMENT OF CONTINUING EDUCATION AND EXTENSION SERVICES
EXAMINATION RESULT

Semster/Session: **1st 2012/2013**
Course Code: **CEA 203**
Course Title: **Sociology of Adult Education**
Course Unit(s): **2**

S/No	ID No.	C.A	Exam	Total	Grades								GP	PGP	Remark
					A	B+	B	C+	C	D	E	F			
1	09/11/04/01/076	15	30	45						D			2.0	4	PASS
2	09/11/04/01/008	21	39	60			B						4.0	8	PASS
3	10/11/04/01/001	19	36	55				C+					3.5	7	PASS
4	10/11/04/01/002	20	34	54					C				3.0	6	PASS
5	10/11/04/01/003	20	36	56				C+					3.5	7	PASS
6	10/11/04/01/004	17	34	51					C				3.0	6	PASS
7	10/11/04/01/005	20	35	55				C+					3.5	7	PASS
8	10/11/04/01/006	20	34	54					C				3.0	6	PASS
9	10/11/04/01/008	20	37	57				C+					3.5	7	PASS
10	10/11/04/01/009	20	34	54					C				3.0	6	PASS
11	10/11/04/01/010	20	45	65		B+							4.5	9	PASS
12	10/11/04/01/011	20	35	55				C+					3.5	7	PASS
13	10/11/04/01/013	20	43	63			B						4.0	8	PASS
14	10/11/04/01/013	21	35	56				C+					3.5	7	PASS
15	10/11/04/01/022	17	44	61			B						4.0	8	PASS
16	10/11/04/01/025	20	38	58				C+					3.5	7	PASS
17	10/11/04/01/029	20	35	55				C+					3.5	7	PASS
18	10/11/04/01/034	20	35	55				C+					3.5	7	PASS
19	10/11/04/01/035	20	45	65		B+							4.5	9	PASS
20	10/11/04/01/043	16	27	43							E		1.0	2	PASS
21	10/11/04/01/046	21	39	60			B						4.0	8	PASS
22	10/11/04/01/047	20	33	53					C				3.0	6	PASS
23	10/11/04/01/048	16	35	51					C				3.0	6	PASS
24	10/11/04/01/049	17	29	46						D			2.0	4	PASS
25	10/11/04/01/051	20	23	43							E		1.0	2	PASS
26	10/11/04/01/054	21	40	61			B						4.0	8	PASS
27	10/11/04/01/056	20	39	59				C+					3.5	7	PASS
28	10/11/04/01/057	20	38	58				C+					3.5	7	PASS
29	10/11/04/01/059	20	35	55				C+					3.5	7	PASS
30	10/11/04/01/060	24	36	60			B						4.0	8	PASS
31	10/11/04/01/063	20	44	64			B						4.0	8	PASS
32	10/11/04/01/065	20	40	60			B						4.0	8	PASS
33	10/11/04/01/066	20	34	54					C				3.0	6	PASS
34	10/11/04/01/067	20	37	57				C+					3.5	7	PASS
35	10/11/04/01/069	17	45	62			B						4.0	8	PASS
36	10/11/04/01/071	20	33	53					C				3.0	6	PASS
37	10/11/04/01/075	18	32	50					C				3.0	6	PASS
38	10/11/04/01/077	20	31	51					C				3.0	6	PASS
39	10/11/04/01/083	16	34	50					C				3.0	6	PASS
40	10/11/04/01/084	20	36	56				C+					3.5	7	PASS
41	10/11/04/01/090	20	31	51					C				3.0	6	PASS
42	10/11/04/01/092	17	39	56				C+					3.5	7	PASS
43	10/11/04/01/097	17	28	45						D			2.0	4	PASS

44	10/11/04/01/100	20	32	52					C				3.0	6	PASS
45	10/11/04/01/102	20	36	56				C+					3.5	7	PASS
46	10/11/04/01/108	20	41	61			B						4.0	8	PASS
47	10/11/04/01/110	20	34	54					C				3.0	6	PASS
48	10/11/04/01/111	19	36	55				C+					3.5	7	PASS
49	10/11/04/01/113	20	28	48						D			2.0	4	PASS
50	10/11/04/01/115	20	45	65			B+						4.5	9	PASS
51	10/11/04/01/118	20	36	56				C+					3.5	7	PASS
52	10/11/04/01/121	20	30	50					C				3.0	6	PASS
53	10/11/04/01/122	20	34	54					C				3.0	6	PASS
54	10/11/04/01/124	20	42	62			B						4.0	8	PASS
55	10/11/04/01/125	20	45	65			B+						4.5	9	PASS
56	10/11/04/01/128	20	26	46						D			2.0	4	PASS
57	10/11/04/01/129	17	28	45						D			2.0	4	PASS
58	10/11/04/01/130	18	42	60			B						4.0	8	PASS
59	10/11/04/01/135	24	47	71	A								5.0	10	PASS
60	10/11/04/01/139	20	35	55				C+					3.5	7	PASS
61	10/11/04/01/141	20	37	57				C+					3.5	7	PASS
62	10/11/04/01/142	20	30	50					C				3.0	6	PASS
63	10/11/04/01/144	20	38	58				C+					3.5	7	PASS
64	10/11/04/01/146	16	30	46						D			2.0	4	PASS
65	10/11/04/01/147	19	31	50					C				3.0	6	PASS
66	10/11/04/01/148	21	39	60			B						4.0	8	PASS
67	10/11/04/01/151	20	35	55				C+					3.5	7	PASS
68	10/11/04/01/152	20	31	51					C				3.0	6	PASS
69	10/11/04/01/156	13	31	44							E		1.0	2	PASS
70	10/11/04/01/158	20	38	58				C+					3.5	7	PASS
71	10/11/04/01/160	20	38	58				C+					3.5	7	PASS
72	10/11/04/01/161	18	33	51					C				3.0	6	PASS
73	10/11/04/01/164	17	23	40							E		1.0	2	PASS
74	10/11/04/01/171	16	24	40							E		1.0	2	PASS
75	10/11/04/01/175	20	36	56				C+					3.5	7	PASS
76	10/11/04/01/176	20	46	66			B+						4.5	9	PASS
77	10/11/04/01/178	18	37	55				C+					3.5	7	PASS
78	10/11/04/01/181	18	30	48						D			2.0	4	PASS
79	10/11/04/01/184	20	37	57				C+					3.5	7	PASS
80	10/11/04/01/185	21	39	60			B						4.0	8	PASS
81	10/11/04/01/186	16	39	55				C+					3.5	7	PASS
82	10/11/04/01/190	20	42	62			B						4.0	8	PASS
83	10/11/04/01/193	18	30	48						D			2.0	4	PASS
84	10/11/04/01/194	20	33	53					C				3.0	6	PASS
85	10/11/04/01/195	20	35	55				C+					3.5	7	PASS
86	10/11/04/01/197	18	37	55				C+					3.5	7	PASS
87	10/11/04/01/198	24	47	71	A								5.0	10	PASS
88	10/11/04/01/199	16	29	45						D			2.0	4	PASS
89	10/11/04/01/201	17	38	55				C+					3.5	7	PASS
90	10/11/04/01/202	16	30	46						D			2.0	4	PASS
91	10/11/04/01/207	16	39	55				C+					3.5	7	PASS
92	10/11/04/01/211	20	23	43							E		1.0	2	PASS
93	10/11/04/01/220	20	34	54					C				3.0	6	PASS
94	10/11/04/01/221	14	33	47						D			2.0	4	PASS
95	10/11/04/01/222	19	31	50					C				3.0	6	PASS
96	10/11/04/01/223	21	19	40							E		1.0	2	PASS
97	10/11/04/01/225	20	45	65			B+						4.5	9	PASS

98	10/11/04/01/227	20	30	50					C				3.0	6	PASS
99	10/11/04/01/229	20	35	55					C+				3.5	7	PASS
100	10/11/04/01/238	20	40	60				B					4.0	8	PASS
101	10/11/04/01/241	20	37	57					C+				3.5	7	PASS
102	10/11/04/01/242	20	31	51					C				3.0	6	PASS
103	10/11/04/01/243	20	34	54					C				3.0	6	PASS
104	10/11/04/01/245	20	32	52					C				3.0	6	PASS
105	10/11/04/01/251	16	25	41							E		1.0	2	PASS
106	10/11/04/01/252	20	32	52					C				3.0	6	PASS
107	10/11/04/01/253	20	37	57					C+				3.5	7	PASS
108	10/11/04/01/254	16	39	55					C+				3.5	7	PASS
109	10/11/04/01/255	20	37	57					C+				3.5	7	PASS
110	10/11/04/01/258	20	37	57					C+				3.5	7	PASS
111	10/11/04/01/259	17	33	50					C				3.0	6	PASS
112	10/11/04/01/260	16	39	55					C+				3.5	7	PASS
113	10/11/04/01/268	20	36	56					C+				3.5	7	PASS
114	10/11/04/01/273	15	20	35								F	0	0	FAIL
115	10/11/04/01/279	20	35	55					C+				3.5	7	PASS
116	10/11/04/01/281	20	14	34								F	0	0	FAIL
117	10/11/04/01/282	20	32	52					C				3.0	6	PASS
118	10/11/04/01/289	20	38	58					C+				3.5	7	PASS
119	10/11/04/01/292	20	34	54					C				3.0	6	PASS
120	10/11/04/01/299	17	28	45							D		2.0	4	PASS
121	10/11/04/01/300	19	31	50					C				3.0	6	PASS
122	10/11/04/01/301	18	33	51					C				3.0	6	PASS
123	10/11/04/01/302	20	35	55					C+				3.5	7	PASS
124	10/11/04/01/304	20	35	55					C+				3.5	7	PASS
125	10/11/04/01/307	20	41	61				B					4.0	8	PASS
126	10/11/04/03/001	18	32	50					C				3.0	6	PASS
127	10/11/04/03/006	17	28	45							D		2.0	4	PASS
128	10/11/04/03/007	24	46	70	A								5.0	10	PASS
129	10/11/04/03/009	24	48	72	A								5.0	10	PASS
130	10/11/04/03/011	16	34	50					C				3.0	6	PASS
131	10/11/04/03/013	18	32	50					C				3.0	6	PASS
132	10/11/04/03/015	18	27	45							D		2.0	4	PASS
133	10/11/04/03/025	17	38	55					C+				3.5	7	PASS
134	10/11/04/03/031	20	34	54					C				3.0	6	PASS
135	10/11/04/03/035	20	35	55					C+				3.5	7	PASS
136	10/11/04/03/036	21	39	60				B					4.0	8	PASS
137	10/11/04/03/037	17	33	50					C				3.0	6	PASS
138	12/11/04/01/002	16	29	45							D		2.0	4	PASS
139	12/11/04/01/005	20	28	48							D		2.0	4	PASS
140	12/11/04/01/006	20	39	59					C+				3.5	7	PASS
141	12/11/04/01/007	20	37	57					C+				3.5	7	PASS
142	12/11/04/01/013	19	21	40							E		1.0	2	PASS
143	12/11/04/01/015	20	43	63				B					4.0	8	PASS
144	12/11/04/01/016	20	46	66				B+					4.5	9	PASS
145	12/11/04/01/020	20	33	53					C				3.0	6	PASS
146	12/11/04/01/021	20	35	55					C+				3.5	7	PASS
147	12/11/04/01/023	17	33	50					C				3.0	6	PASS
148	12/11/04/01/024	14	27	41							E		1.0	2	PASS
149	12/11/04/01/025	16	34	50					C				3.0	6	PASS
150	12/11/04/01/029	20	34	54					C				3.0	6	PASS
151	12/11/04/01/030	20	32	52					C				3.0	6	PASS

152	12/11/04/01/033	20	35	55				C+					3.5	7	PASS
153	12/11/04/01/035	16	30	46						D			2.0	4	PASS
154	12/11/04/01/036	20	39	59				C+					3.5	7	PASS
155	12/11/04/01/038	19	26	45						D			2.0	4	PASS
156	12/11/04/01/039	18	22	40							E		1.0	2	PASS
157	12/11/04/01/040	20	37	57				C+					3.5	7	PASS
158	12/11/04/01/041	16	29	45						D			2.0	4	PASS
159	12/11/04/01/042	16	30	46						D			2.0	4	PASS
160	12/11/04/01/043	20	31	51					C				3.0	6	PASS
161	12/11/04/01/045	16	34	50					C				3.0	6	PASS
162	12/11/04/01/046	18	33	51					C				3.0	6	PASS
163	12/11/04/01/048	20	38	58				C+					3.5	7	PASS
164	12/11/04/01/050	20	38	58				C+					3.5	7	PASS
165	12/11/04/01/051	20	34	54					C				3.0	6	PASS
166	12/11/04/01/052	18	37	55				C+					3.5	7	PASS
167	12/11/04/01/053	20	35	55				C+					3.5	7	PASS
168	12/11/04/01/054	20	35	55				C+					3.5	7	PASS
169	12/11/04/01/056	19	36	55				C+					3.5	7	PASS
170	12/11/04/01/060	18	33	51					C				3.0	6	PASS
171	12/11/04/01/061	20	37	57				C+					3.5	7	PASS
172	12/11/04/01/062	20	41	61			B						4.0	8	PASS
173	12/11/04/01/068	20	33	53					C				3.0	6	PASS
174	12/11/04/01/070	20	33	53					C				3.0	6	PASS
175	12/11/04/01/072	15	35	50					C				3.0	6	PASS
176	12/11/04/01/074	20	28	48						D			2.0	4	PASS
177	12/11/04/01/075	16	29	45						D			2.0	4	PASS
178	12/11/04/01/076	20	33	53					C				3.0	6	PASS
179	12/11/04/01/079	20	40	60			B						4.0	8	PASS
180	12/11/04/01/080	14	28	42							E		1.0	2	PASS
181	12/11/04/01/083	20	35	55				C+					3.5	7	PASS
182	12/11/04/01/084	18	33	51					C				3.0	6	PASS
183	12/11/04/01/085	20	36	56				C+					3.5	7	PASS
184	12/11/04/01/086	20	20	40							E		1.0	2	PASS
185	12/11/04/01/087	15	18	33								F	0	0	FAIL
186	12/11/04/01/088	19	31	50					C				3.0	6	PASS
187	12/11/04/01/089	16	27	43							E		1.0	2	PASS
188	12/11/04/01/090	20	36	56				C+					3.5	7	PASS
189	12/11/04/01/091	20	32	52					C				3.0	6	PASS
190	12/11/04/01/092	20	44	64			B						4.0	8	PASS
191	12/11/04/01/093	15	18	33								F	0	0	FAIL
192	12/11/04/01/094	16	32	48						D			2.0	4	PASS
193	12/11/04/01/095	20	36	56				C+					3.5	7	PASS
194	12/11/04/01/097	20	33	53					C				3.0	6	PASS
195	12/11/04/01/098	20	36	56				C+					3.5	7	PASS
196	12/11/04/01/100	20	36	56				C+					3.5	7	PASS
197	12/11/04/01/101	20	32	52					C				3.0	6	PASS
198	12/11/04/01/103	16	35	51					C				3.0	6	PASS
199	12/11/04/01/104	16	29	45						D			2.0	4	PASS
200	12/11/04/01/105	17	33	50					C				3.0	6	PASS
201	12/11/04/01/107	20	32	52					C				3.0	6	PASS
202	12/11/04/01/108	20	31	51					C				3.0	6	PASS
203	12/11/04/01/115	20	40	60			B						4.0	8	PASS
204	12/11/04/01/117	20	30	50					C				3.0	6	PASS
205	12/11/04/01/118	17	33	50					C				3.0	6	PASS

206	12/11/04/01/119	20	28	48					D			2.0	4	PASS
207	12/11/04/01/120	19	31	50					C			3.0	6	PASS
208	12/11/04/01/121	18	27	45					D			2.0	4	PASS
209	12/11/04/01/122	18	37	55				C+				3.5	7	PASS
210	12/11/04/01/123	20	34	54					C			3.0	6	PASS
211	12/11/04/01/124	20	30	50					C			3.0	6	PASS
212	12/11/04/01/125	15	25	40							E	1.0	2	PASS
213	12/11/04/01/128	20	36	56				C+				3.5	7	PASS
214	12/11/04/01/130	17	33	50					C			3.0	6	PASS
215	12/11/04/01/131	20	25	45						D		2.0	4	PASS
216	12/11/04/01/132	20	34	54					C			3.0	6	PASS
217	12/11/04/01/133	18	27	45						D		2.0	4	PASS
218	12/11/04/01/135	20	38	58				C+				3.5	7	PASS
219	12/11/04/01/136	17	33	50					C			3.0	6	PASS
220	12/11/04/01/137	18	27	45						D		2.0	4	PASS
221	12/11/04/01/138	17	33	50					C			3.0	6	PASS
222	12/11/04/01/139	17	23	40							E	1.0	2	PASS
223	12/11/04/01/140	17	33	50					C			3.0	6	PASS
224	12/11/04/01/141	20	36	56				C+				3.5	7	PASS
225	12/11/04/01/142	20	38	58				C+				3.5	7	PASS
226	12/11/04/01/143	17	24	41							E	1.0	2	PASS
227	12/11/04/01/145	20	26	46						D		2.0	4	PASS
228	12/11/04/01/146	20	26	46						D		2.0	4	PASS
229	12/11/04/01/147	20	37	57				C+				3.5	7	PASS
230	12/11/04/01/150	20	43	63			B					4.0	8	PASS
231	12/11/04/01/153	20	26	46						D		2.0	4	PASS
232	12/11/04/01/154	18	27	45						D		2.0	4	PASS
233	12/11/04/01/156	18	27	45						D		2.0	4	PASS
234	12/11/04/01/157	20	40	60			B					4.0	8	PASS
235	12/11/04/01/158	16	29	45						D		2.0	4	PASS
236	12/11/04/01/159	20	35	55				C+				3.5	7	PASS
237	12/11/04/01/161	20	32	52					C			3.0	6	PASS
238	12/11/04/01/162	20	43	63			B					4.0	8	PASS
239	12/11/04/01/163	20	36	56				C+				3.5	7	PASS
240	12/11/04/01/165	20	40	60			B					4.0	8	PASS
241	12/11/04/01/166	20	31	51					C			3.0	6	PASS
242	12/11/04/01/169	16	27	43							E	1.0	2	PASS
243	12/11/04/01/172	20	32	52					C			3.0	6	PASS
244	12/11/04/01/174	24	46	70	A							5.0	10	PASS
245	12/11/04/01/175	20	32	52					C			3.0	6	PASS
246	12/11/04/01/176	20	34	54					C			3.0	6	PASS
247	12/11/04/01/181	20	34	54					C			3.0	6	PASS
248	12/11/04/01/183	16	30	46						D		2.0	4	PASS
249	12/11/04/01/185	20	41	61			B					4.0	8	PASS
250	12/11/04/01/186	20	35	55				C+				3.5	7	PASS
251	12/11/04/01/187	20	30	50					C			3.0	6	PASS
252	12/11/04/01/188	20	38	58				C+				3.5	7	PASS
253	12/11/04/01/189	20	36	56				C+				3.5	7	PASS
254	12/11/04/01/190	20	33	53					C			3.0	6	PASS
255	12/11/04/01/191	20	35	55				C+				3.5	7	PASS
256	12/11/04/01/192	20	17	37							F	0	0	FAIL
257	12/11/04/01/193	20	30	50					C			3.0	6	PASS
258	12/11/04/01/195	20	25	45						D		2.0	4	PASS
259	12/11/04/01/199	14	28	42							E	1.0	2	PASS

260	12/11/04/01/201	19	21	40							E		1.0	2	PASS
261	12/11/04/01/205	20	40	60			B						4.0	8	PASS
262	12/11/04/01/208	19	41	60			B						4.0	8	PASS
263	12/11/04/01/209	17	31	48						D			2.0	4	PASS
264	12/11/04/01/210	18	22	40							E		1.0	2	PASS
265	12/11/04/01/211	18	38	56				C+					3.5	7	PASS
266	12/11/04/01/212	15	29	44							E		1.0	2	PASS
267	12/11/04/01/213	20	34	54					C				3.0	6	PASS
268	12/11/04/01/215	20	41	61			B						4.0	8	PASS
269	12/11/04/01/216	20	31	51					C				3.0	6	PASS
270	12/11/04/01/217	20	31	51					C				3.0	6	PASS
271	12/11/04/03/001	20	42	62			B						4.0	8	PASS
272	12/11/04/03/002	20	9	29								F	0	0	FAIL
273	12/11/04/03/004	20	33	53					C				3.0	6	PASS
274	12/11/04/03/006	20	36	56				C+					3.5	7	PASS
275	12/11/04/03/009	20	42	62			B						4.0	8	PASS
276	12/11/04/03/012	15	16	31								F	0	0	FAIL
277	12/11/04/03/015	20	35	55				C+					3.5	7	PASS
278	12/11/04/03/016	18	32	50					C				3.0	6	PASS
279	12/11/04/03/018	20	34	54					C				3.0	6	PASS
280	12/11/04/03/019	20	37	57				C+					3.5	7	PASS
281	12/11/04/03/020	17	33	50					C				3.0	6	PASS
282	12/11/04/03/021	20	33	53					C				3.0	6	PASS
283	12/11/04/03/022	20	44	64			B						4.0	8	PASS
284	12/11/04/03/028	17	33	50					C				3.0	6	PASS
285	12/11/04/03/029	20	36	56				C+					3.5	7	PASS
286	12/11/04/03/031	16	30	46						D			2.0	4	PASS
287	12/11/04/03/033	16	30	46						D			2.0	4	PASS
288	12/11/04/03/035	20	34	54					C				3.0	6	PASS
289	12/11/04/03/037	20	38	58				C+					3.5	7	PASS
290	12/11/04/03/038	20	33	53					C				3.0	6	PASS
291	12/11/04/03/039	20	35	55				C+					3.5	7	PASS
	SUMMARY				5	7	34	84	91	41	22	7			291