

UNIVERSITY OF MAIDUGURI
(Office of the Vice-Chancellor)
CENTRE FOR DISTANCE LEARNING

DEPARTMENT OF CONTINUING EDUCATION AND EXTENSION SERVICES

EXAMINATION RESULT

Semester/Session: **1st, 2012/2013**
Course Code: **CEA 302**
Course Title: **Tests and Measurements**
Course Units: **2**

S/No.	ID.No	C.A.	Exam	Total	Grades								GP	PGP	Remark
					A	B+	B	C+	C	D	E	F			
1	07/11/04/01/169	16	24	40							E		1.0	2	PASS
2	07/11/04/01/195	30	34	64			B						4.0	8	PASS
3	07/11/04/01/218	24	30	54					C				3.0	6	PASS
4	07/11/04/01/219	24	20	44							E		1.0	2	PASS
5	08/11/04/01/012	06	34	40							E		1.0	2	PASS
6	08/11/04/01/015	30	22	52					C				3.0	6	PASS
7	08/11/04/01/018	27	20	47						D			2.0	4	PASS
8	08/11/04/01/060	27	26	53					C				3.0	6	PASS
9	08/11/04/01/066	30	20	50					C				3.0	6	PASS
10	09/11/04/01/002	9	34	43							E		1.0	2	PASS
11	09/11/04/01/004	9	20	29								F	0.0	0	FAIL
12	09/11/04/01/007	15	42	57				C+					3.5	7	PASS
13	09/11/04/01/009	9	44	53					C				3.0	6	PASS
14	09/11/04/01/012	27	32	59				C+					3.5	7	PASS
15	09/11/04/01/014	14	34	48						D			2.0	4	PASS
16	09/11/04/01/016	15	30	45						D			2.0	4	PASS
17	09/11/04/01/017	16	24	40							E		1.0	2	PASS
18	09/11/04/01/019	10	30	40							E		1.0	2	PASS
19	09/11/04/01/021	20	20	40							E		1.0	2	PASS
20	09/11/04/01/023	12	30	42							E		1.0	2	PASS
21	09/11/04/01/024	30	28	58				C+					3.5	7	PASS
22	09/11/04/01/028	9	36	45						D			2.0	4	PASS
23	09/11/04/01/029	22	18	40							E		1.0	2	PASS
24	09/11/04/01/033	18	28	46						D			2.0	4	PASS
25	09/11/04/01/034	30	36	66		B+							4.5	9	PASS
26	09/11/04/01/036	20	20	40							E		1.0	2	PASS
27	09/11/04/01/038	20	20	40							E		1.0	2	PASS
28	09/11/04/01/039	14	26	40							E		1.0	2	PASS
29	09/11/04/01/041	15	30	45						D			2.0	4	PASS
30	09/11/04/01/042	18	38	56				C+					3.5	7	PASS
31	09/11/04/01/043	9	0	9								F	0.0	0	FAIL
32	09/11/04/01/045	16	24	40							E		1.0	2	PASS
33	09/11/04/01/048	15	42	57				C+					3.5	7	PASS
34	09/11/04/01/050	12	38	50					C				3.0	6	PASS
35	09/11/04/01/051	9	32	41							E		1.0	2	PASS
36	09/11/04/01/052	24	20	44							E		1.0	2	PASS
37	09/11/04/01/053	18	48	66		B+							4.5	9	PASS
38	09/11/04/01/054	27	30	57				C+					3.5	7	PASS
39	09/11/04/01/057	10	30	40							E		1.0	2	PASS
40	09/11/04/01/058	9	34	43							E		1.0	2	PASS
41	09/11/04/01/061	18	22	40							E		1.0	2	PASS
42	09/11/04/01/062	15	26	41							E		1.0	2	PASS
43	09/11/04/01/063	24	24	48						D			2.0	4	PASS
44	09/11/04/01/068	6	44	50					C				3.0	6	PASS
45	09/11/04/01/071	12	36	48						D			2.0	4	PASS
46	09/11/04/01/072	15	26	41	1						E		1.0	2	PASS

47	09/11/04/01/073	20	20	40						E		1.0	2	PASS
48	09/11/04/01/074	30	20	50					C			3.0	6	PASS
49	09/11/04/01/075	6	20	26							F	0.0	0	FAIL
50	09/11/04/01/077	9	20	29							F	0.0	0	FAIL
51	09/11/04/01/079	5	40	45						D		2.0	4	PASS
52	09/11/04/01/080	5	24	29							F	0.0	0	FAIL
53	09/11/04/01/081	25	36	61					B			4.0	8	PASS
54	09/11/04/01/082	8	32	40						E		1.0	2	PASS
55	09/11/04/01/085	12	32	49						D		2.0	4	PASS
56	09/11/04/01/087	27	0	27							F	0.0	0	FAIL
57	09/11/04/01/088	15	26	41						E		1.0	2	PASS
58	09/11/04/01/089	20	20	40						E		1.0	2	PASS
59	09/11/04/01/090	10	32	42						E		1.0	2	PASS
60	09/11/04/01/094	30	42	72	A							5.0	10	PASS
61	09/11/04/01/096	16	24	40						E		1.0	2	PASS
62	09/11/04/01/097	27	20	47						D		2.0	4	PASS
63	09/11/04/01/099	21	38	59					C+			3.5	7	PASS
64	09/11/04/01/100	19	30	49						D		2.0	4	PASS
65	09/11/04/01/105	21	32	53						C		3.0	6	PASS
66	09/11/04/01/106	18	28	46						D		2.0	4	PASS
67	09/11/04/01/107	27	0	27							F	0.0	0	FAIL
68	09/11/04/01/110	12	34	46						D		2.0	4	PASS
69	09/11/04/01/112	18	46	64					B			4.0	8	PASS
70	09/11/04/01/113	15	26	41						E		1.0	2	PASS
71	09/11/04/01/115	9	36	45						D		2.0	4	PASS
72	09/11/04/01/117	18	32	50						C		3.0	6	PASS
73	09/11/04/01/118	9	20	29							F	0.0	0	FAIL
74	09/11/04/01/119	15	50	65					B+			4.5	9	PASS
75	09/11/04/01/122	30	30	60					B			4.0	8	PASS
76	09/11/04/01/123	30	0	30							F	0.0	0	FAIL
77	09/11/04/01/126	21	38	59						C+		3.5	7	PASS
78	09/11/04/01/131	12	46	58						C+		3.5	7	PASS
79	09/11/04/01/132	12	30	42						E		1.0	2	PASS
80	09/11/04/01/133	12	28	40						E		1.0	2	PASS
81	09/11/04/01/135	12	28	40						E		1.0	2	PASS
82	09/11/04/01/137	18	32	50						C		3.0	6	PASS
83	09/11/04/01/139	3	24	27							F	0.0	0	FAIL
84	09/11/04/01/140	12	36	48						D		2.0	4	PASS
85	09/11/04/01/144	15	28	43							E	1.0	2	PASS
86	09/11/04/01/145	12	40	52						C		3.0	6	PASS
87	09/11/04/01/148	15	36	51						C		3.0	6	PASS
88	09/11/04/01/150	15	30	45						D		2.0	4	PASS
89	09/11/04/01/151	18	22	40							E	1.0	2	PASS
90	09/11/04/01/153	30	20	50						C		3.0	6	PASS
91	09/11/04/01/154	21	22	43							E	1.0	2	PASS
92	09/11/04/01/156	20	20	40							E	1.0	2	PASS
93	09/11/04/01/157	30	34	64					B			4.0	8	PASS
94	09/11/04/01/158	15	30	45						D		2.0	4	PASS
95	09/11/04/01/159	21	26	47						D		2.0	4	PASS
96	09/11/04/01/160	12	14	26							F	0.0	0	FAIL
97	09/11/04/01/161	24	30	54						C		3.0	6	PASS
98	09/11/04/01/162	15	36	51						C		3.0	6	PASS
99	09/11/04/01/165	15	30	45						D		2.0	4	PASS
100	09/11/04/01/166	0	24	24							F	0.0	0	FAIL
101	09/11/04/01/169	15	26	41							E	1.0	2	PASS
102	09/11/04/01/170	30	26	56						C+		3.5	7	PASS
103	09/11/04/01/171	27	48	75	A							5.0	10	PASS
104	09/11/04/01/173	9	4	13							F	0.0	0	FAIL
105	09/11/04/01/175	15	26	41							E	1.0	2	PASS

106	09/11/04/01/176	6	18	24							F	0.0	0	FAIL
107	09/11/04/01/179	12	50	62			B					4.0	8	PASS
108	09/11/04/01/183	30	34	64			B					4.0	8	PASS
109	09/11/04/01/185	9	36	45						D		2.0	4	PASS
110	09/11/04/01/186	18	22	40							E	1.0	2	PASS
111	09/11/04/01/187	9	38	47						D		2.0	4	PASS
112	09/11/04/01/189	27	42	69			B+					4.5	9	PASS
113	09/11/04/01/191	18	22	40							E	1.0	2	PASS
114	09/11/04/01/192	27	48	75	A							5.0	10	PASS
115	09/11/04/01/194	9	46	55							C+	3.5	7	PASS
116	09/11/04/01/195	12	50	62			B					4.0	8	PASS
117	09/11/04/01/198	18	30	48						D		2.0	4	PASS
118	09/11/04/01/200	27	42	69			B+					4.5	9	PASS
119	09/11/04/01/203	12	38	50						C		3.0	6	PASS
120	09/11/04/01/204	12	14	26							F	0.0	0	FAIL
121	09/11/04/01/207	30	26	56							C+	3.5	7	PASS
122	09/11/04/01/209	18	30	48						D		2.0	4	PASS
123	10/11/04/01/007	0	16	16							F	0.0	0	FAIL
124	10/11/04/01/010	18	30	48						D		2.0	4	PASS
125	10/11/04/01/013	16	24	40							E	1.0	2	PASS
126	10/11/04/01/014	15	34	49						D		2.0	4	PASS
127	10/11/04/01/015	6	38	44							E	1.0	2	PASS
128	10/11/04/01/016	18	40	58							C+	3.5	7	PASS
129	10/11/04/01/017	18	44	62			B					4.0	8	PASS
130	10/11/04/01/018	12	28	40							E	1.0	2	PASS
131	10/11/04/01/019	6	22	28							F	0.0	0	FAIL
132	10/11/04/01/020	15	32	47						D		2.0	4	PASS
133	10/11/04/01/024	20	20	40							E	1.0	2	PASS
134	10/11/04/01/026	24	34	58							C+	3.5	7	PASS
135	10/11/04/01/027	15	36	51						C		3.0	6	PASS
136	10/11/04/01/028	6	20	26							F	0.0	0	FAIL
137	10/11/04/01/030	15	30	45						D		2.0	4	PASS
138	10/11/04/01/031	18	22	40							E	1.0	2	PASS
139	10/11/04/01/032	12	32	44							E	1.0	2	PASS
140	10/11/04/01/033	24	38	62			B					4.0	8	PASS
141	10/11/04/01/036	12	32	44							E	1.0	2	PASS
142	10/11/04/01/037	15	28	43							E	1.0	2	PASS
143	10/11/04/01/039	12	34	46						D		2.0	4	PASS
144	10/11/04/01/040	20	20	40							E	1.0	2	PASS
145	10/11/04/01/041	9	20	29							F	0.0	0	FAIL
146	10/11/04/01/044	9	32	41							E	1.0	2	PASS
147	10/11/04/01/045	9	20	29							F	0.0	0	FAIL
148	10/11/04/01/050	15	58	73	A							5.0	10	PASS
149	10/11/04/01/052	12	30	42							E	1.0	2	PASS
150	10/11/04/01/053	14	26	40							E	1.0	2	PASS
151	10/11/04/01/055	9	32	41							E	1.0	2	PASS
152	10/11/04/01/058	12	30	42							E	1.0	2	PASS
153	10/11/04/01/061	21	36	57							C+	3.5	7	PASS
154	10/11/04/01/062	15	38	53						C		3.0	6	PASS
155	10/11/04/01/064	18	28	46						D		2.0	4	PASS
156	10/11/04/01/068	16	24	40							E	1.0	2	PASS
157	10/11/04/01/070	15	30	45						D		2.0	4	PASS
158	10/11/04/01/072	15	62	77	A							5.0	10	PASS
159	10/11/04/01/073	6	38	44							E	1.0	2	PASS
160	10/11/04/01/074	9	18	27							F	0.0	0	FAIL
161	10/11/04/01/076	18	24	42							E	1.0	2	PASS
162	10/11/04/01/077	9	34	43							E	1.0	2	PASS
163	10/11/04/01/078	6	40	46						D		2.0	4	PASS
164	10/11/04/01/079	6	36	42							E	1.0	2	PASS

165	10/11/04/01/080	12	44	56				C+					3.5	7	PASS
166	10/11/04/01/085	18	8	26								F	0.0	0	FAIL
167	10/11/04/01/086	18	32	50					C				3.0	6	PASS
168	10/11/04/01/087	12	34	46						D			2.0	4	PASS
169	10/11/04/01/088	15	40	55				C+					3.5	7	PASS
170	10/11/04/01/089	15	30	45						D			2.0	4	PASS
171	10/11/04/01/094	18	26	44								E	1.0	2	PASS
172	10/11/04/01/095	15	24	39								F	0.0	0	FAIL
173	10/11/04/01/098	12	38	50					C				3.0	6	PASS
174	10/11/04/01/101	20	20	40								E	1.0	2	PASS
175	10/11/04/01/103	15	26	41								E	1.0	2	PASS
176	10/11/04/01/104	20	20	40								E	1.0	2	PASS
177	10/11/04/01/105	15	30	45						D			2.0	4	PASS
178	10/11/04/01/106	21	36	57				C+					3.5	7	PASS
179	10/11/04/01/107	12	36	48						D			2.0	4	PASS
180	10/11/04/01/109	15	38	53					C				3.0	6	PASS
181	10/11/04/01/112	15	34	49						D			2.0	4	PASS
182	10/11/04/01/114	18	32	50					C				3.0	6	PASS
183	10/11/04/01/116	15	26	41								E	1.0	2	PASS
184	10/11/04/01/119	15	26	41								E	1.0	2	PASS
185	10/11/04/01/120	9	36	45						D			2.0	4	PASS
186	10/11/04/01/123	12	32	44								E	1.0	2	PASS
187	10/11/04/01/126	15	32	47						D			2.0	4	PASS
188	10/11/04/01/127	12	36	48						D			2.0	4	PASS
189	10/11/04/01/128	21	38	59				C+					3.5	7	PASS
190	10/11/04/01/132	18	22	40								E	1.0	2	PASS
191	10/11/04/01/134	15	28	43								E	1.0	2	PASS
192	10/11/04/01/137	15	26	41								E	1.0	2	PASS
193	10/11/04/01/138	15	28	43								E	1.0	2	PASS
194	10/11/04/01/140	12	0	12								F	0.0	0	FAIL
195	10/11/04/01/145	12	36	48						D			2.0	4	PASS
196	10/11/04/01/149	21	38	59				C+					3.5	7	PASS
197	10/11/04/01/150	18	22	40								E	1.0	2	PASS
198	10/11/04/01/153	18	22	40								E	1.0	2	PASS
199	10/11/04/01/154	12	32	44								E	1.0	2	PASS
200	10/11/04/01/155	21	52	73	A								5.0	10	PASS
201	10/11/04/01/157	20	20	40								E	1.0	2	PASS
202	10/11/04/01/159	15	30	45						D			2.0	4	PASS
203	10/11/04/01/162	15	0	15								F	0.0	0	FAIL
204	10/11/04/01/163	18	22	40								E	1.0	2	PASS
205	10/11/04/01/165	9	34	43								E	1.0	2	PASS
206	10/11/04/01/166	9	44	53					C				3.0	6	PASS
207	10/11/04/01/167	20	40	60			B						4.0	8	PASS
208	10/11/04/01/168	18	22	40								E	1.0	2	PASS
209	10/11/04/01/169	12	44	56				C+					3.5	7	PASS
210	10/11/04/01/170	15	26	41								E	1.0	2	PASS
211	10/11/04/01/172	17	24	41								E	1.0	2	PASS
212	10/11/04/01/173	30	32	62			B						4.0	8	PASS
213	10/11/04/01/174	15	32	47						D			2.0	4	PASS
214	10/11/04/01/177	12	0	12								F	0.0	0	FAIL
215	10/11/04/01/179	18	22	40								E	1.0	2	PASS
216	10/11/04/01/180	6	20	26								F	0.0	0	FAIL
217	10/11/04/01/182	24	16	40								E	1.0	2	PASS
218	10/11/04/01/183	18	24	42								E	1.0	2	PASS
219	10/11/04/01/187	24	34	58				C+					3.5	7	PASS
220	10/11/04/01/188	30	38	68		B+							4.5	9	PASS
221	10/11/04/01/192	17	24	41								E	1.0	2	PASS
222	10/11/04/01/196	18	42	60			B						4.0	8	PASS
223	10/11/04/01/200	21	36	57				C+					3.5	7	PASS

224	10/11/04/01/203	18	22	40						E		1.0	2	PASS
225	10/11/04/01/204	19	24	43						E		1.0	2	PASS
226	10/11/04/01/205	17	26	43						E		1.0	2	PASS
227	10/11/04/01/208	19	26	45						D		2.0	4	PASS
228	10/11/04/01/209	19	26	45						D		2.0	4	PASS
229	10/11/04/01/210	9	44	53						C		3.0	6	PASS
230	10/11/04/01/214	15	38	53						C		3.0	6	PASS
231	10/11/04/01/215	9	40	49						D		2.0	4	PASS
232	10/11/04/01/217	19	28	47						D		2.0	4	PASS
233	10/11/04/01/218	12	22	34							F	0.0	0	FAIL
234	10/11/04/01/219	15	30	45						D		2.0	4	PASS
235	10/11/04/01/224	3	20	23							F	0.0	0	FAIL
236	10/11/04/01/228	15	52	67		B+						4.5	9	PASS
237	10/11/04/01/230	15	32	47						D		2.0	4	PASS
238	10/11/04/01/231	21	30	51						C		3.0	6	PASS
239	10/11/04/01/232	15	28	43							E	1.0	2	PASS
240	10/11/04/01/233	12	42	54						C		3.0	6	PASS
241	10/11/04/01/235	15	28	43							E	1.0	2	PASS
242	10/11/04/01/237	9	40	49						D		2.0	4	PASS
243	10/11/04/01/239	9	44	53						C		3.0	6	PASS
244	10/11/04/01/244	19	24	43							E	1.0	2	PASS
245	10/11/04/01/246	9	34	43							E	1.0	2	PASS
246	10/11/04/01/247	12	52	64		B						4.0	8	PASS
247	10/11/04/01/248	30	30	60		B						4.0	8	PASS
248	10/11/04/01/249	12	12	24							F	0.0	0	FAIL
249	10/11/04/01/250	15	32	47						D		2.0	4	PASS
250	10/11/04/01/252	15	32	47						D		2.0	4	PASS
251	10/11/04/01/253	9	32	41							E	1.0	2	PASS
252	10/11/04/01/256	9	40	49						D		2.0	4	PASS
253	10/11/04/01/257	18	32	50						C		3.0	6	PASS
254	10/11/04/01/261	6	22	28							F	0.0	0	FAIL
255	10/11/04/01/262	16	30	46						D		2.0	4	PASS
256	10/11/04/01/263	20	20	40							E	1.0	2	PASS
257	10/11/04/01/264	21	46	67		B+						4.5	9	PASS
258	10/11/04/01/265	12	42	54						C		3.0	6	PASS
259	10/11/04/01/266	18	32	50						C		3.0	6	PASS
260	10/11/04/01/267	12	34	46						D		2.0	4	PASS
261	10/11/04/01/269	12	28	40							E	1.0	2	PASS
262	10/11/04/01/270	23	20	43							E	1.0	2	PASS
263	10/11/04/01/272	20	20	40							E	1.0	2	PASS
264	10/11/04/01/274	15	26	41							E	1.0	2	PASS
265	10/11/04/01/275	12	36	48						D		2.0	4	PASS
266	10/11/04/01/276	12	20	32							F	0.0	0	FAIL
267	10/11/04/01/277	15	30	45						D		2.0	4	PASS
268	10/11/04/01/278	6	22	28							F	0.0	0	FAIL
269	10/11/04/01/280	21	44	65		B+						4.5	9	PASS
270	10/11/04/01/283	15	26	41							E	1.0	2	PASS
271	10/11/04/01/284	10	30	30							F	0	0	FAIL
272	10/11/04/01/285	9	18	27							F	0.0	0	FAIL
273	10/11/04/01/286	12	36	48						D		2.0	4	PASS
274	10/11/04/01/288	19	24	43							E	1.0	2	PASS
275	10/11/04/01/289	18	42	60		B						4.0	8	PASS
276	10/11/04/01/290	16	30	46						D		2.0	4	PASS
277	10/11/04/01/293	6	36	42							E	1.0	2	PASS
278	10/11/04/01/294	12	32	44							E	1.0	2	PASS
279	10/11/04/01/295	18	36	54						C		3.0	6	PASS
280	10/11/04/01/296	12	36	48						D		2.0	4	PASS
281	10/11/04/01/297	18	36	54						C		3.0	6	PASS
282	10/11/04/01/303	12	38	50						C		3.0	6	PASS

283	10/11/04/01/305	21	26	47						D			2.0	4	PASS
284	10/11/04/01/306	9	20	29								F	0.0	0	FAIL
285	10/11/04/01/308	18	22	40							E		1.0	2	PASS
286	10/11/04/01/309	12	44	56				C+					3.5	7	PASS
287	10/11/04/01/310	6	40	46						D			2.0	4	PASS
288	10/11/04/01/311	9	36	45						D			2.0	4	PASS
289	10/11/04/01/312	0	24	24								F	0.0	0	FAIL
290	10/11/04/01/313	12	38	50					C				3.0	6	PASS
	SUMMARY				6	9	16	24	36	63	99	37			290