

UNIVERSITY OF MAIDUGURI
(Office of the Vice-Chancellor)
CENTRE FOR DISTANCE LEARNING
DEPARTMENT OF ECONOMICS
EXAMINATION RESULTS

Session/Semester: **1st, 2012/2013**
Course Code: **ECON 202**
Course Title: **Macro Economics**
Course Units: **2**

S/No	ID No.	C.A.	Exam	Total	Grades								GP	PGP	Remarks
					A	B+	B	C+	C	D	E	F			
1	09/11/07/03/006	6	13	19								F	0.0	0	FAIL
2	10/11/07/03/001	11	46	57				C+					3.5	7	PASS
3	10/11/07/03/006	16	30	46						D			2.0	4	PASS
4	10/11/07/03/008	14	35	49						D			2.0	4	PASS
5	10/11/07/03/009	12	45	57				C+					3.5	7	PASS
6	10/11/07/03/010	16	30	46						D			2.0	4	PASS
7	10/11/07/03/015	16	41	57				C+					3.5	7	PASS
8	10/11/07/03/017	16	34	50					C				3.0	6	PASS
9	10/11/07/03/018	14	42	56				C+					3.5	7	PASS
10	10/11/07/03/019	16	48	64			B						4.0	8	PASS
11	10/11/07/03/024	16	26	42							E		1.0	2	PASS
12	10/11/07/03/025	11	46	57				C+					3.5	7	PASS
13	10/11/07/03/033	20	46	66		B+							4.5	9	PASS
14	10/11/07/03/037	15	39	54					C				3.0	6	PASS
15	10/11/07/03/038	18	39	57				C+					3.5	7	PASS
16	10/11/07/03/039	16	40	56				C+					3.5	7	PASS
17	10/11/07/03/041	18	32	50					C				3.0	6	PASS
18	10/11/07/03/044	16	32	48						D			2.0	4	PASS
19	10/11/07/03/045	16	30	46						D			2.0	4	PASS
20	10/11/07/03/046	16	24	40							E		1.0	2	PASS
21	10/11/07/03/054	18	40	58				C+					3.5	7	PASS
22	10/11/07/03/058	18	32	50					C				3.0	6	PASS
23	10/11/07/03/060	16	38	54					C				3.0	6	PASS
24	10/11/07/03/061	16	31	47						D			2.0	4	PASS
25	10/11/07/03/064	20	20	40							E		1.0	2	PASS
26	12/11/09/01/001	6	18	24								F	0.0	0	FAIL
27	12/11/09/01/002	8	38	46						D			2.0	4	PASS
28	12/11/09/01/005	11	54	65		B+							4.5	9	PASS
29	12/11/09/01/006	11	54	65		B+							4.5	9	PASS
30	12/11/09/01/007	12	60	72	A								5.0	10	PASS
31	12/11/09/01/009	11	59	70	A								5.0	10	PASS
32	12/11/09/01/010	18	32	50					C				3.0	6	PASS
33	12/11/09/01/011	18	32	50					C				3.0	6	PASS
34	12/11/09/01/012	18	40	58				C+					3.5	7	PASS
35	12/11/09/01/013	18	48	66		B+							4.5	9	PASS
36	12/11/09/01/014	18	48	66		B+							4.5	9	PASS
37	12/11/09/01/015	18	42	60			B						4.0	8	PASS
38	12/11/09/01/016	13	47	60			B						4.0	8	PASS

39	12/11/09/01/021	15	30	45					D			2.0	4	PASS
40	12/11/09/01/024	14	51	65		B+						4.5	9	PASS
41	12/11/09/01/025	17	51	68		B+						4.5	9	PASS
42	12/11/09/01/026	10	37	47					D			2.0	4	PASS
43	12/11/09/01/027	10	44	54				C				3.0	6	PASS
44	12/11/09/01/029	14	51	65		B+						4.5	9	PASS
45	12/11/09/01/030	12	48	60			B					4.0	8	PASS
46	12/11/09/01/031	12	53	65		B+						4.5	9	PASS
47	12/11/09/01/032	16	29	45					D			2.0	4	PASS
48	12/11/09/01/033	11	57	68		B+						4.5	9	PASS
49	12/11/09/01/034	16	49	65		B+						4.5	9	PASS
50	12/11/09/01/035	11	54	65		B+						4.5	9	PASS
51	12/11/09/01/036	14	51	65		B+						4.5	9	PASS
52	12/11/09/01/037	18	38	56				C+				3.5	7	PASS
53	12/11/09/01/038	10	47	57				C+				3.5	7	PASS
54	12/11/09/01/039	18	32	50					C			3.0	6	PASS
55	12/11/09/01/041	15	47	62			B					4.0	8	PASS
56	12/11/09/01/042	18	33	51					C			3.0	6	PASS
57	12/11/09/01/043	16	31	47					D			2.0	4	PASS
58	12/11/09/01/045	14	51	65		B+						4.5	9	PASS
59	12/11/09/01/048	10	47	57				C+				3.5	7	PASS
60	12/11/09/01/049	10	48	58				C+				3.5	7	PASS
61	12/11/09/01/052	16	51	67		B+						4.5	9	PASS
62	12/11/09/01/053	13	27	40						E		1.0	2	PASS
63	12/11/09/01/054	17	41	58				C+				3.5	7	PASS
64	12/11/09/01/055	18	40	58				C+				3.5	7	PASS
65	12/11/09/01/056	14	40	54					C			3.0	6	PASS
66	12/11/09/01/057	15	47	62			B					4.0	8	PASS
67	12/11/09/01/058	14	56	70	A							5.0	10	PASS
68	12/11/09/01/059	14	50	64			B					4.0	8	PASS
69	12/11/09/01/060	12	53	65		B+						4.5	9	PASS
70	12/11/09/01/061	14	41	55				C+				3.5	7	PASS
71	12/11/09/01/062	12	53	65		B+						4.5	9	PASS
72	12/11/09/01/064	17	47	64			B					4.0	8	PASS
73	12/11/09/01/065	17	48	65		B+						4.5	9	PASS
74	12/11/09/01/066	12	53	65		B+						4.5	9	PASS
75	12/11/09/01/067	12	28	40						E		1.0	2	PASS
76	12/11/09/01/069	13	32	45					D			2.0	4	PASS
77	12/11/09/01/070	13	48	61			B					4.0	8	PASS
78	12/11/09/01/071	12	51	63			B					4.0	8	PASS
79	12/11/09/01/072	14	50	64			B					4.0	8	PASS
80	12/11/09/01/073	16	42	58				C+				3.5	7	PASS
81	12/11/09/01/075	10	51	61			B					4.0	8	PASS
82	09/11/04/02/050	18	36	54					C			3.0	6	PASS
83	09/11/04/02/171	18	35	53					C			3.0	6	PASS
84	09/11/04/02/276	15	35	50					C			3.0	6	PASS
85	09/11/04/02/361	8	17	25							F	0.0	0	FAIL
86	09/11/04/02/398	19	46	65		B+						4.5	9	PASS
87	12/11/04/01/115	19	36	55				C+				3.5	7	PASS

88	12/11/04/01/117	14	44	58				C+				3.5	7	PASS
89	12/11/04/01/158	10	45	55				C+				3.5	7	PASS
90	10/11/04/02/004	12	42	54					C			3.0	6	PASS
91	10/11/04/02/009	4	38	42						E		1.0	2	PASS
92	10/11/04/02/013	18	32	50					C			3.0	6	PASS
93	10/11/04/02/018	12	28	40						E		1.0	2	PASS
94	10/11/04/02/019	9	18	27							F	0.0	0	FAIL
95	10/11/04/02/020	16	46	62			B					4.0	8	PASS
96	10/11/04/02/024	18	29	47						D		2.0	4	PASS
97	10/11/04/02/037	20	20	40						E		1.0	2	PASS
98	10/11/04/02/047	19	31	50					C			3.0	6	PASS
99	10/11/04/02/057	12	36	48						D		2.0	4	PASS
100	10/11/04/02/059	15	35	50					C			3.0	6	PASS
101	10/11/04/02/064	14	26	40						E		1.0	2	PASS
102	10/11/04/02/072	20	20	40						E		1.0	2	PASS
103	10/11/04/02/074	16	36	52					C			3.0	6	PASS
104	10/11/04/02/075	12	38	50					C			3.0	6	PASS
105	10/11/04/02/079	17	43	60			B					4.0	8	PASS
106	10/11/04/02/080	19	31	50					C			3.0	6	PASS
107	10/11/04/02/081	13	32	45						D		2.0	4	PASS
108	10/11/04/02/082	16	31	47						D		2.0	4	PASS
109	10/11/04/02/084	18	27	45						D		2.0	4	PASS
110	10/11/04/02/085	13	42	55				C+				3.5	7	PASS
111	10/11/04/02/088	14	46	60			B					4.0	8	PASS
112	10/11/04/02/091	12	28	40						E		1.0	2	PASS
113	10/11/04/02/092	12	28	40						E		1.0	2	PASS
114	10/11/04/02/093	19	32	51					C			3.0	6	PASS
115	10/11/04/02/111	15	31	46						D		2.0	4	PASS
116	10/11/04/02/117	14	26	40						E		1.0	2	PASS
117	10/11/04/02/125	18	22	40						E		1.0	2	PASS
118	10/11/04/02/127	12	40	52					C			3.0	6	PASS
119	10/11/04/02/129	15	30	45						D		2.0	4	PASS
120	10/11/04/02/134	14	26	40						E		1.0	2	PASS
121	10/11/04/02/145	11	29	40						E		1.0	2	PASS
122	10/11/04/02/149	12	28	40						E		1.0	2	PASS
123	10/11/04/02/150	17	33	50					C			3.0	6	PASS
124	10/11/04/02/154	13	32	45						D		2.0	4	PASS
125	10/11/04/02/155	18	34	52					C			3.0	6	PASS
126	10/11/04/02/185	18	33	51					C			3.0	6	PASS
127	10/11/04/02/190	18	28	46						D		2.0	4	PASS
128	10/11/04/02/200	15	30	45						D		2.0	4	PASS
129	10/11/04/02/204	16	24	40						E		1.0	2	PASS
130	10/11/04/02/216	19	41	60			B					4.0	8	PASS
131	10/11/04/02/233	13	39	52					C			3.0	6	PASS
132	10/11/04/02/249	11	39	50					C			3.0	6	PASS
133	10/11/04/02/251	12	35	47						D		2.0	4	PASS
134	10/11/04/02/276	14	26	40						E		1.0	2	PASS
135	10/11/04/02/284	17	37	54					C			3.0	6	PASS
136	10/11/04/02/286	15	25	40						E		1.0	2	PASS

137	10/11/04/02/291	4	16	20							F	0.0	0	FAIL
138	10/11/04/02/292	14	29	43						E		1.0	2	PASS
139	10/11/04/02/297	16	42	58			C+					3.5	7	PASS
140	10/11/04/02/299	16	37	53				C				3.0	6	PASS
141	10/11/04/02/304	14	26	40						E		1.0	2	PASS
142	10/11/04/02/313	18	22	40						E		1.0	2	PASS
143	10/11/04/02/314	15	36	51				C				3.0	6	PASS
144	10/11/04/02/319	16	28	44						E		1.0	2	PASS
145	10/11/04/02/324	20	20	40						E		1.0	2	PASS
146	10/11/04/02/330	14	30	44						E		1.0	2	PASS
147	10/11/04/02/332	5	40	45					D			2.0	4	PASS
148	10/11/04/02/337	20	28	48					D			2.0	4	PASS
149	10/11/04/02/342	18	32	50				C				3.0	6	PASS
150	10/11/04/02/344	16	42	58			C+					3.5	7	PASS
151	10/11/04/02/345	20	30	50				C				3.0	6	PASS
152	10/11/04/02/349	6	34	40						E		1.0	2	PASS
153	10/11/04/02/362	16	24	40						E		1.0	2	PASS
154	10/11/04/02/364	17	33	50				C				3.0	6	PASS
155	10/11/04/02/366	13	34	47					D			2.0	4	PASS
156	10/11/04/02/372	18	22	40						E		1.0	2	PASS
157	10/11/04/02/373	16	30	46					D			2.0	4	PASS
158	10/11/04/02/375	15	30	45					D			2.0	4	PASS
159	10/11/04/02/376	6	16	22							F	0.0	0	FAIL
160	10/11/04/02/377	18	32	50				C				3.0	6	PASS
161	10/11/04/02/384	18	32	50				C				3.0	6	PASS
162	10/11/04/02/385	15	25	40						E		1.0	2	PASS
163	10/11/04/02/387	19	31	50				C				3.0	6	PASS
164	10/11/04/02/390	14	37	51				C				3.0	6	PASS
165	10/11/04/02/392	16	38	54				C				3.0	6	PASS
166	10/11/04/02/393	16	31	47					D			2.0	4	PASS
167	10/11/04/02/395	16	24	40						E		1.0	2	PASS
168	10/11/04/02/397	16	31	47					D			2.0	4	PASS
169	10/11/04/02/401	19	41	60			B					4.0	8	PASS
170	10/11/04/02/408	19	47	66		B+						4.5	9	PASS
171	10/11/04/02/409	16	26	42						E		1.0	2	PASS
172	10/11/04/02/415	17	34	51				C				3.0	6	PASS
173	10/11/04/02/416	13	47	60			B					4.0	8	PASS
174	10/11/04/02/418	15	35	50				C				3.0	6	PASS
175	10/11/04/02/428	10	51	61			B					4.0	8	PASS
176	10/11/04/02/437	16	30	46					D			2.0	4	PASS
177	10/11/04/02/458	16	30	46					D			2.0	4	PASS
178	10/11/04/02/467	18	40	58			C+					3.5	7	PASS
179	10/11/04/02/472	19	39	58			C+					3.5	7	PASS
180	10/11/04/02/474	19	38	57			C+					3.5	7	PASS
181	10/11/04/02/481	18	26	44						E		1.0	2	PASS
182	10/11/04/02/485	15	36	22							F	0	0	PASS
183	10/11/04/02/490	17	37	54				C				3.0	6	PASS
184	10/11/04/02/501	16	26	42						E		1.0	2	PASS
185	10/11/04/02/505	15	36	51				C				3.0	6	PASS

186	10/11/04/02/507	14	28	42						E		1.0	2	PASS
187	10/11/04/02/511	14	37	51				C				3.0	6	PASS
188	10/11/04/02/513	19	37	56				C+				3.5	7	PASS
189	10/11/04/02/517	19	39	58				C+				3.5	7	PASS
190	10/11/04/02/521	16	36	52				C				3.0	6	PASS
191	10/11/04/02/529	14	30	44						E		1.0	2	PASS
192	10/11/04/02/545	15	35	50				C				3.0	6	PASS
193	10/11/04/02/547	14	48	62			B					4.0	8	PASS
194	10/11/04/02/548	15	30	45						D		2.0	4	PASS
195	10/11/04/02/556	13	47	60			B					4.0	8	PASS
196	10/11/04/02/572	12	48	60			B					4.0	8	PASS
197	10/11/04/02/575	14	26	40						E		1.0	2	PASS
198	10/11/04/02/588	14	36	50				C				3.0	6	PASS
199	10/11/04/02/593	16	34	50				C				3.0	6	PASS
200	10/11/04/02/598	16	30	46						D		2.0	4	PASS
201	12/11/04/02/019	18	36	54				C				3.0	6	PASS
202	12/11/04/02/023	16	30	46						D		2.0	4	PASS
203	12/11/04/02/026	18	43	61			B					4.0	8	PASS
204	12/11/04/02/029	16	24	40						E		1.0	2	PASS
205	12/11/04/02/030	18	44	62			B					4.0	8	PASS
206	12/11/04/02/042	16	24	40						E		1.0	2	PASS
207	12/11/04/02/064	17	49	66			B+					4.5	9	PASS
208	12/11/04/02/073	16	35	51				C				3.0	6	PASS
209	12/11/04/02/074	18	43	61			B					4.0	8	PASS
210	12/11/04/02/084	12	48	60			B					4.0	8	PASS
211	12/11/04/02/089	17	33	50				C				3.0	6	PASS
212	12/11/04/02/095	16	24	40						E		1.0	2	PASS
213	12/11/04/02/110	8	12	20							F	0.0	0	FAIL
214	12/11/04/02/121	14	50	64			B					4.0	8	PASS
215	12/11/04/02/122	13	37	50				C				3.0	6	PASS
216	12/11/04/02/124	19	31	50				C				3.0	6	PASS
217	12/11/04/02/126	18	38	56				C+				3.5	7	PASS
218	12/11/04/02/134	16	29	45						D		2.0	4	PASS
219	12/11/04/02/136	15	45	60			B					4.0	8	PASS
220	12/11/04/02/152	16	30	46						D		2.0	4	PASS
221	12/11/04/02/162	16	26	42						E		1.0	2	PASS
222	12/11/04/02/180	17	37	54				C				3.0	6	PASS
223	12/11/04/02/188	18	38	56				C+				3.5	7	PASS
224	12/11/04/02/190	16	35	51				C				3.0	6	PASS
225	12/11/04/02/197	16	40	56				C+				3.5	7	PASS
226	12/11/04/02/208	16	42	58				C+				3.5	7	PASS
227	12/11/04/02/215	16	41	57				C+				3.5	7	PASS
228	12/11/04/02/219	19	44	63			B					4.0	8	PASS
229	12/11/04/02/221	17	47	64			B					4.0	8	PASS
230	12/11/04/02/232	14	46	60			B					4.0	8	PASS
231	12/11/04/02/235	17	41	58				C+				3.5	7	PASS
232	12/11/04/02/238	19	31	50						C		3.0	6	PASS
233	12/11/04/02/239	12	50	62			B					4.0	8	PASS
234	12/11/04/02/247	13	50	63			B					4.0	8	PASS

235	12/11/04/02/276	14	40	54					C				3.0	6	PASS
236	12/11/04/02/279	18	22	40							E		1.0	2	PASS
237	12/11/04/02/280	18	22	40							E		1.0	2	PASS
238	12/11/04/02/290	16	22	38								F	0.0	0	FAIL
239	12/11/04/02/291	18	38	56					C+				3.5	7	PASS
240	12/11/04/02/294	16	38	54					C				3.0	6	PASS
241	12/11/04/02/316	18	44	62					B				4.0	8	PASS
242	12/11/04/02/319	16	34	50					C				3.0	6	PASS
243	12/11/04/02/332	16	35	51					C				3.0	6	PASS
244	12/11/04/02/333	16	40	56					C+				3.5	7	PASS
245	12/11/04/02/338	16	36	52					C				3.0	6	PASS
246	12/11/04/02/339	16	34	50					C				3.0	6	PASS
247	12/11/04/02/357	16	39	55					C+				3.5	7	PASS
248	12/11/04/02/366	12	54	66					B+				4.5	9	PASS
249	12/11/04/02/370	6	17	23								F	0.0	0	FAIL
250	12/11/04/02/376	13	47	60					B				4.0	8	PASS
251	12/11/04/02/388	17	37	54					C				3.0	6	PASS
252	12/11/04/02/393	16	31	47							D		2.0	4	PASS
253	12/11/04/02/397	17	43	60					B				4.0	8	PASS
254	12/11/04/02/409	17	38	55					C+				3.5	7	PASS
255	12/11/04/02/419	18	37	55					C+				3.5	7	PASS
256	12/11/04/02/428	16	30	46							D		2.0	4	PASS
257	12/11/04/02/430	14	44	58					C+				3.5	7	PASS
258	10/11/07/01/002	8	32	40								E	1.0	2	PASS
259	10/11/07/01/017	13	27	40								E	1.0	2	PASS
260	10/11/07/01/020	15	35	50					C				3.0	6	PASS
261	10/11/07/01/122	13	27	40								E	1.0	2	PASS
262	10/11/07/01/025	16	41	57					C+				3.5	7	PASS
263	10/11/07/01/029	19	44	63					B				4.0	8	PASS
264	10/11/07/01/030	16	35	51					C				3.0	6	PASS
265	10/11/07/01/031	18	32	50					C				3.0	6	PASS
266	10/11/07/01/033	18	36	54					C				8	0	FAIL
267	10/11/07/01/034	16	42	58					C+				3.5	7	PASS
268	10/11/07/01/035	16	34	50					C				3.0	6	PASS
269	10/11/07/01/043	16	40	56					C+				3.5	7	PASS
270	10/11/07/01/045	15	40	55					C+				3.5	7	PASS
271	10/11/07/01/050	16	41	57					C+				3.5	7	PASS
272	10/11/07/01/054	16	36	52					C				3.0	6	PASS
273	10/11/07/01/057	10	48	58					C+				3.5	7	PASS
274	10/11/07/01/083	18	40	58					C+				3.5	7	PASS
275	10/11/07/01/085	24	44	68					B+				4.5	9	PASS
276	10/11/07/01/086	17	44	61					B				4.0	8	PASS
277	10/11/07/01/087	16	40	56					C+				3.5	7	PASS
278	10/11/07/01/096	16	34	50					C				3.0	6	PASS
279	10/11/07/01/098	16	38	54					C				3.0	6	PASS
280	10/11/07/01/102	17	34	51					C				3.0	6	PASS
281	10/11/07/01/104	10	56	66					B+				4.5	9	PASS
282	10/11/07/01/108	14	42	56					C+				3.5	7	PASS
283	10/11/07/01/114	16	40	56					C+				3.5	7	PASS

284	10/11/07/01/120	16	34	50					C				3.0	6	PASS
285	10/11/07/01/126	16	40	56				C+					3.5	7	PASS
286	10/11/07/01/127	20	46	66		B+							4.5	9	PASS
287	10/11/07/01/129	18	40	58				C+					3.5	7	PASS
288	10/11/07/01/131	10	30	40							E		1.0	2	PASS
289	10/11/07/01/132	16	41	57				C+					3.5	7	PASS
290	10/11/07/01/136	16	38	54					C				3.0	6	PASS
291	10/11/07/01/141	18	46	64			B						4.0	8	PASS
292	10/11/07/01/140	18	36	54					C				3.0	6	PASS
293	10/11/07/01/143	19	46	65		B+							4.5	9	PASS
294	10/11/07/01/146	18	27	45						D			2.0	4	PASS
295	10/11/07/01/147	18	29	47						D			2.0	4	PASS
296	10/11/07/01/154	14	44	58				C+					3.5	7	PASS
297	12/11/07/01/057	18	40	58				C+					3.5	7	PASS
298	12/11/07/01/058	12	53	65		B+							4.5	9	PASS
299	12/11/07/01/059	10	48	58				C+					3.5	7	PASS
300	12/11/07/01/061	12	53	65		B+							4.5	9	PASS
301	12/11/07/01/062	15	40	55				C+					3.5	7	PASS
302	12/11/07/01/063	13	47	60			B						4.0	8	PASS
303	12/11/07/01/064	12	48	60			B						4.0	8	PASS
304	12/11/07/01/066	19	38	57				C+					3.5	7	PASS
305	12/11/07/01/067	16	46	62			B						4.0	8	PASS
306	12/11/07/01/068	26	41	67		B+							4.5	9	PASS
307	12/11/07/01/069	13	42	55				C+					3.5	7	PASS
308	12/11/07/01/071	17	43	60			B						4.0	8	PASS
309	12/11/07/01/072	19	51	70	A								5.0	10	PASS
310	12/11/07/01/073	16	36	52					C				3.0	6	PASS
311	12/11/07/01/074	14	57	71	A								5.0	10	PASS
312	12/11/07/01/075	14	58	72	A								5.0	10	PASS
313	12/11/07/01/077	18	28	46						D			2.0	4	PASS
314	12/11/07/01/078	19	34	53					C				3.0	6	PASS
315	12/11/07/01/080	11	47	58				C+					3.5	7	PASS
316	12/11/07/01/081	18	40	58				C+					3.5	7	PASS
317	12/11/07/01/082	18	38	56				C+					3.5	7	PASS
318	12/11/07/01/083	14	44	58				C+					3.5	7	PASS
319	12/11/07/01/084	12	46	58				C+					3.5	7	PASS
320	12/11/07/01/085	20	25	45						D			2.0	4	PASS
321	12/11/07/01/088	18	42	60			B						4.0	8	PASS
322	12/11/07/01/089	17	40	57				C+					3.5	7	PASS
323	12/11/07/01/090	15	52	67		B+							4.5	9	PASS
324	12/11/07/01/091	19	36	55				C+					3.5	7	PASS
325	12/11/07/01/092	14	53	67		B+							4.5	9	PASS
326	12/11/07/01/093	10	36	46						D			2.0	4	PASS
327	12/11/07/01/094	12	35	47						D			2.0	4	PASS
328	12/11/07/01/095	12	36	48						D			2.0	4	PASS
329	12/11/07/01/096	17	34	51					C				3.0	6	PASS
330	12/11/07/01/097	11	54	65		B+							4.5	9	PASS
331	12/11/07/01/100	11	33	44							E		1.0	2	PASS
332	12/11/07/01/101	12	40	52					C				3.0	6	PASS

333	12/11/07/01/102	18	39	57			C+					3.5	7	PASS
334	12/11/07/01/103	16	48	64			B					4.0	8	PASS
335	12/11/07/01/104	12	55	67		B+						4.5	9	PASS
336	12/11/07/01/105	13	50	63			B					4.0	8	PASS
337	12/11/07/01/108	15	38	53					C			3.0	6	PASS
338	12/11/07/01/109	19	37	56			C+					3.5	7	PASS
339	12/11/07/01/110	10	48	58			C+					3.5	7	PASS
340	12/11/07/01/111	12	43	55			C+					3.5	7	PASS
341	12/11/07/01/113	12	36	48						D		2.0	4	PASS
342	12/11/07/01/115	14	40	54					C			3.0	6	PASS
343	12/11/07/01/117	15	42	57			C+					3.5	7	PASS
344	12/11/07/01/118	13	32	45						D		2.0	4	PASS
345	12/11/07/01/120	18	44	62			B					4.0	8	PASS
346	12/11/07/01/121	16	40	56			C+					3.5	7	PASS
347	12/11/07/01/122	11	42	53					C			3.0	6	PASS
348	12/11/07/01/125	19	38	57			C+					3.5	7	PASS
349	12/11/07/01/128	10	46	56			C+					3.5	7	PASS
350	12/11/07/01/129	10	44	54					C			3.0	6	PASS
351	12/11/07/01/130	19	24	43						E		1.0	2	PASS
352	12/11/07/01/132	19	46	65		B+						4.5	9	PASS
353	12/11/07/01/134	19	44	63			B					4.0	8	PASS
354	12/11/07/01/136	19	38	57			C+					3.5	7	PASS
355	12/11/07/01/137	16	50	66		B+						4.5	9	PASS
356	12/11/07/01/139	15	45	60			B					4.0	8	PASS
357	12/11/07/01/140	18	32	50					C			3.0	6	PASS
358	12/11/07/01/141	18	48	66		B+						4.5	9	PASS
359	12/11/07/01/143	16	45	61			B					4.0	8	PASS
360	12/11/07/01/144	16	46	62			B					4.0	8	PASS
361	12/11/07/01/145	16	48	64			B					4.0	8	PASS
362	12/11/07/01/147	19	36	55			C+					3.5	7	PASS
363	12/11/07/01/148	15	42	57			C+					3.5	7	PASS
364	12/11/07/01/149	19	47	66		B+						4.5	9	PASS
365	12/11/07/01/150	15	51	66		B+						4.5	9	PASS
366	12/11/07/01/151	16	41	57			C+					3.5	7	PASS
367	12/11/07/01/152	19	39	58			C+					3.5	7	PASS
368	12/11/07/01/154	15	35	50					C			3.0	6	PASS
369	12/11/07/01/155	16	34	50					C			3.0	6	PASS
370	12/11/07/01/156	10	46	56			C+					3.5	7	PASS
371	12/11/07/01/158	8	14	22							F	0.0	0	FAIL
372	12/11/07/01/157	10	47	57			C+					3.5	7	PASS
373	12/11/07/01/159	19	31	50					C			3.0	6	PASS
374	12/11/07/01/161	12	43	55			C+					3.5	7	PASS
375	12/11/07/01/162	13	47	60			B					4.0	8	PASS
376	12/11/07/01/163	18	42	60			B					4.0	8	PASS
377	12/11/07/01/166	11	39	50					C			3.0	6	PASS
378	12/11/07/01/167	20	20	40							E	1.0	2	PASS
379	12/11/07/01/169	15	30	45						D		2.0	4	PASS
380	12/11/07/01/172	12	45	57			C+					3.5	7	PASS
381	12/11/07/01/173	18	40	58			C+					3.5	7	PASS

382	12/11/07/01/175	16	44	60			B					4.0	8	PASS
383	12/11/07/01/176	18	32	50					C			3.0	6	PASS
384	12/11/07/01/178	19	32	51					C			3.0	6	PASS
385	12/11/07/01/180	18	34	52					C			3.0	6	PASS
386	12/11/07/01/182	20	20	40						E		1.0	2	PASS
387	12/11/07/01/183	18	52	70	A							5.0	10	PASS
388	12/11/07/01/184	13	45	58				C+				3.5	7	PASS
389	12/11/07/01/185	10	45	55				C+				3.5	7	PASS
390	12/11/07/01/188	12	45	57				C+				3.5	7	PASS
391	12/11/07/01/190	15	56	71	A							5.0	10	PASS
392	10/11/07/01/155	18	32	50					C			3.0	6	PASS
393	10/11/07/01/156	16	40	56				C+				3.5	7	PASS
394	12/11/07/01/001	19	46	65		B+						4.5	9	PASS
395	12/11/07/01/004	19	23	42						E		1.0	2	PASS
396	12/11/07/01/006	19	21	40						E		1.0	2	PASS
397	12/11/07/01/007	10	54	64			B					4.0	8	PASS
398	12/11/07/01/008	21	45	66		B+						4.5	9	PASS
399	12/11/07/01/009	16	30	46						D		2.0	4	PASS
400	12/11/07/01/010	12	48	60			B					4.0	8	PASS
401	12/11/07/01/011	10	43	53					C			3.0	6	PASS
402	12/11/07/01/012	14	50	64			B					4.0	8	PASS
403	12/11/07/01/013	12	40	52					C			3.0	6	PASS
404	12/11/07/01/015	12	48	60			B					4.0	8	PASS
405	12/11/07/01/016	19	41	60			B					4.0	8	PASS
406	12/11/07/01/017	21	46	67		B+						4.5	9	PASS
407	12/11/07/01/018	19	36	55				C+				3.5	7	PASS
408	12/11/07/01/019	21	31	52					C			3.0	6	PASS
409	12/11/07/01/020	19	43	62			B					4.0	8	PASS
410	12/11/07/01/021	12	48	60			B					4.0	8	PASS
411	12/11/07/01/022	12	40	52					C			3.0	6	PASS
412	12/11/07/01/023	15	47	62			B					4.0	8	PASS
413	12/11/07/01/024	19	47	66		B+						4.5	9	PASS
414	12/11/07/01/027	19	46	65		B+						4.5	9	PASS
415	12/11/07/01/028	18	42	60			B					4.0	8	PASS
416	12/11/07/01/032	15	35	50					C			3.0	6	PASS
417	12/11/07/01/034	11	46	57				C+				3.5	7	PASS
418	12/11/07/01/035	12	45	57				C+				3.5	7	PASS
419	12/11/07/01/036	11	29	40						E		1.0	2	PASS
420	12/11/07/01/038	12	42	54					C			3.0	6	PASS
421	12/11/07/01/041	14	37	51					C			3.0	6	PASS
422	12/11/07/01/042	15	39	54					C			3.0	6	PASS
423	12/11/07/01/043	14	26	40						E		1.0	2	PASS
424	12/11/07/01/044	19	46	65		B+						4.5	9	PASS
425	12/11/07/01/045	12	48	60			B					4.0	8	PASS
426	12/11/07/01/046	19	41	60			B					4.0	8	PASS
427	12/11/07/01/047	10	47	57				C+				3.5	7	PASS
428	12/11/07/01/048	13	42	55				C+				3.5	7	PASS
429	12/11/07/01/049	11	34	45						D		2.0	4	PASS
430	12/11/07/01/050	11	43	54					C			3.0	6	PASS

431	12/11/07/01/051	12	33	45					D			2.0	4	PASS
432	12/11/07/01/053	18	32	50				C				3.0	6	PASS
433	12/11/07/01/056	19	44	63			B					4.0	8	PASS
434	12/11/07/01/193	16	34	50				C				3.0	6	PASS
435	12/11/07/01/194	19	32	51				C				3.0	6	PASS
436	12/11/07/01/195	18	34	52				C				3.0	6	PASS
437	12/11/07/01/196	13	53	66			B+					4.5	9	PASS
438	12/11/07/01/197	14	26	40						E		1.0	2	PASS
439	12/11/07/01/200	18	38	56				C+				3.5	7	PASS
440	12/11/07/01/201	12	28	40						E		1.0	2	PASS
441	12/11/07/01/204	11	29	40						E		1.0	2	PASS
442	12/11/07/01/205	13	37	50				C				3.0	6	PASS
443	12/11/07/01/206	11	31	42						E		1.0	2	PASS
444	12/11/07/01/207	10	18	28							F	0.0	0	FAIL
445	12/11/07/01/208	14	26	40						E		1.0	2	PASS
446	12/11/07/01/209	11	47	58				C+				3.5	7	PASS
447	12/11/07/01/210	20	20	40						E		1.0	2	PASS
448	12/11/07/01/211	9	16	25							F	0.0	0	FAIL
449	12/11/07/01/212	19	38	57				C+				3.5	7	PASS
450	12/11/07/01/213	19	47	66			B+					4.5	9	PASS
451	12/11/07/01/214	10	52	62			B					4.0	8	PASS
452	12/11/07/01/215	19	38	57				C+				3.5	7	PASS
453	12/11/07/01/216	20	52	72	A							5.0	10	PASS
454	12/11/07/01/217	18	22	40						E		1.0	2	PASS
455	12/11/07/01/219	19	45	64			B					4.0	8	PASS
456	12/11/07/01/220	16	41	57				C+				3.5	7	PASS
457	12/11/07/01/222	12	27	39							F	0.0	0	FAIL
458	12/11/07/01/223	8	10	18							F	0.0	0	FAIL
459	12/11/07/01/224	16	41	57				C+				3.5	7	PASS
460	12/11/07/01/225	19	42	61			B					4.0	8	PASS
461	12/11/07/01/226	11	44	55				C+				3.5	7	PASS
462	12/11/07/01/227	20	30	50				C				3.0	6	PASS
463	12/11/07/01/229	18	52	70	A							5.0	10	PASS
464	12/11/07/01/230	14	36	50				C				3.0	6	PASS
465	12/11/07/01/231	10	36	46						D		2.0	4	PASS
466	12/11/07/01/234	12	43	55				C+				3.5	7	PASS
467	12/11/07/01/235	11	36	47						D		2.0	4	PASS
468	12/11/07/01/237	16	46	62			B					4.0	8	PASS
469	12/11/07/01/238	18	50	68			B+					4.5	9	PASS
470	12/11/07/01/289	20	37	57				C+				3.5	7	PASS
471	12/11/07/01/290	16	36	52				C				3.0	6	PASS
472	12/11/07/01/294	15	42	57				C+				3.5	7	PASS
473	12/11/07/01/297	17	47	64			B					4.0	8	PASS
474	12/11/07/01/299	8	18	26							F	0.0	0	FAIL
475	12/11/07/01/300	20	20	40						E		1.0	2	PASS
476	12/11/07/01/301	19	39	58				C+				3.5	7	PASS
477	12/11/07/01/303	6	45	51				C				3.0	6	PASS
478	12/11/07/01/240	14	46	60			B					4.0	8	PASS
479	12/11/07/01/241	19	31	50				C				3.0	6	PASS

480	12/11/07/01/242	16	36	52					C				3.0	6	PASS
481	12/11/07/01/243	14	42	56				C+					3.5	7	PASS
482	12/11/07/01/244	16	48	64			B						4.0	8	PASS
483	12/11/07/01/246	15	45	60			B						4.0	8	PASS
484	12/11/07/01/247	19	43	62			B						4.0	8	PASS
485	12/11/07/01/248	16	46	62			B						4.0	8	PASS
486	12/11/07/01/249	16	45	61			B						4.0	8	PASS
487	12/11/07/01/250	18	32	50					C				3.0	6	PASS
488	12/11/07/01/252	11	32	43							E		1.0	2	PASS
489	12/11/07/01/254	19	38	57				C+					3.5	7	PASS
490	12/11/07/01/256	16	35	51					C				3.0	6	PASS
491	12/11/07/01/258	19	45	64			B						4.0	8	PASS
492	12/11/07/01/263	15	52	67		B+							4.5	9	PASS
493	12/11/07/01/264	16	44	60			B						4.0	8	PASS
494	12/11/07/01/266	12	44	56				C+					3.5	7	PASS
495	12/11/07/01/267	16	48	64			B						4.0	8	PASS
496	12/11/07/01/267	16	50	66		B+							4.5	9	PASS
497	12/11/07/01/271	15	35	50					C				3.0	6	PASS
498	12/11/07/01/272	17	37	54					C				3.0	6	PASS
499	12/11/07/01/274	12	33	45						D			2.0	4	PASS
500	12/11/07/01/275	12	43	55				C+					3.5	7	PASS
501	12/11/07/01/276	6	13	19							F		0.0	0	FAIL
502	12/11/07/01/277	15	25	40							E		1.0	2	PASS
503	12/11/07/01/278	18	53	71	A								5.0	10	PASS
504	12/11/07/01/279	20	20	40							E		1.0	2	PASS
505	12/11/07/01/280	7	45	52					C				3.0	6	PASS
506	12/11/07/01/281	18	42	60			B						4.0	8	PASS
507	12/11/07/01/282	11	49	60			B						4.0	8	PASS
508	12/11/07/01/283	19	45	64			B						4.0	8	PASS
509	12/11/07/01/284	16	48	64			B						4.0	8	PASS
510	12/11/07/01/286	14	50	64			B						4.0	8	PASS
511	12/11/07/01/287	19	45	64			B						4.0	8	PASS
512	12/11/07/01/288	18	24	42							E		1.0	2	PASS
513	12/11/07/01/304	10	48	58				C+					3.5	7	PASS
514	12/11/07/01/305	8	14	22							F		0.0	0	FAIL
515	12/11/07/01/306	17	51	68		B+							4.5	9	PASS
516	12/11/07/01/311	12	43	55				C+					3.5	7	PASS
517	12/11/07/01/312	19	46	65		B+							4.5	9	PASS
518	12/11/07/01/314	16	39	55				C+					3.5	7	PASS
519	12/11/07/01/315	20	37	57				C+					3.5	7	PASS
520	12/11/07/01/317	16	44	60			B						4.0	8	PASS
521	12/11/07/01/319	15	40	55				C+					3.5	7	PASS
522	12/11/07/01/320	20	20	40							E		1.0	2	PASS
523	12/11/07/01/322	19	49	68		B+							4.5	9	PASS
524	12/11/07/01/323	16	51	67		B+							4.5	9	PASS
525	12/11/07/01/324	18	28	46						D			2.0	4	PASS
526	12/11/07/01/325	18	38	56				C+					3.5	7	PASS
	Summary:				11	54	88	114	117	56	68	18			526