

UNIVERSITY OF MAIDUGURI
(Office of Vice Chancellor)
Centre for Distance Learning
DEPARTMENT OF PUBLIC ADMINISTRATION

EXAMINATION RESULTS

Semester/Session: **1st, 2012/2013**
Course Code: **PAD 412**
Course Title: **Applied Management in Health Care Organisation**
Course Unit(s): **2**

S/No.	ID. No.	C.A.	Exam	Total	Grades								GP	PGP	Remarks
					A	B+	B	C+	C	D	E	F			
1	08/11/07/05/001	19	42	61			B						4.0	8	PASS
2	08/11/07/05/002	21	40	61			B						4.0	8	PASS
3	08/11/07/05/005	20	42	62			B						4.0	8	PASS
4	08/11/07/05/006	18	44	62			B						4.0	8	PASS
5	08/11/07/05/007	21	40	61			B						4.0	8	PASS
6	08/11/07/05/009	22	40	62			B						4.0	8	PASS
7	08/11/07/05/010	21	39	60			B						4.0	8	PASS
8	08/11/07/05/011	22	46	68		B+							4.5	9	PASS
9	08/11/07/05/012	19	36	55				C+					3.5	7	PASS
10	08/11/07/05/013	20	43	63			B						4.0	8	PASS
11	08/11/07/05/014	21	35	56				C+					3.5	7	PASS
12	08/11/07/05/015	20	34	54					C				3.0	6	PASS
13	08/11/07/05/016	20	39	59				C+					3.5	7	PASS
14	08/11/07/05/017	21	35	56				C+					3.5	7	PASS
15	08/11/07/05/018	20	45	65		B+							4.5	9	PASS
16	08/11/07/05/019	20	33	53					C				3.0	6	PASS
17	08/11/07/05/021	21	30	51					C				3.0	6	PASS
18	08/11/07/05/022	19	36	55				C+					3.5	7	PASS
19	08/11/07/05/023	20	30	50					C				3.0	6	PASS
20	08/11/07/05/024	21	35	56				C+					3.5	7	PASS
21	08/11/07/05/026	18	23	41							E		1.0	2	PASS
22	08/11/07/05/028	20	30	50					C				3.0	6	PASS
23	08/11/07/05/029	18	33	51					C				3.0	6	PASS
24	08/11/07/05/030	19	37	56				C+					3.5	7	PASS
25	08/11/07/05/032	21	35	56				C+					3.5	7	PASS
26	08/11/07/05/033	20	42	62			B						4.0	8	PASS
27	08/11/07/05/034	19	37	56				C+					3.5	7	PASS
28	08/11/07/05/035	18	37	55				C+					3.5	7	PASS
29	08/11/07/05/036	20	28	48						D			2.0	4	PASS
30	08/11/07/05/037	20	34	54					C				3.0	6	PASS
31	08/11/07/05/038	21	29	50					C				3.0	6	PASS
32	08/11/07/05/039	19	46	65		B+							4.5	9	PASS
33	08/11/07/05/041	19	37	56				C+					3.5	7	PASS

34	08/11/07/05/042	21	43	64			B					4.0	8	PASS
35	08/11/07/05/043	20	41	61			B					4.0	8	PASS
36	08/11/07/05/044	18	37	55			C+					3.5	7	PASS
37	08/11/07/05/045	19	36	55			C+					3.5	7	PASS
38	08/11/07/05/047	20	37	57			C+					3.5	7	PASS
39	08/11/07/05/049	20	35	55			C+					3.5	7	PASS
40	08/11/07/05/050	24	38	62			B					4.0	8	PASS
41	08/11/07/05/051	20	33	53				C				3.0	6	PASS
42	08/11/07/05/054	21	35	56			C+					3.5	7	PASS
43	09/11/07/05/001	21	51	72	A							5.0	10	PASS
44	09/11/07/05/003	19	48	67		B+						4.5	9	PASS
45	09/11/07/05/004	18	42	60			B					4.0	8	PASS
46	09/11/07/05/005	22	23	45						D		2.0	4	PASS
47	09/11/07/05/007	20	40	60			B					4.0	8	PASS
48	09/11/07/05/008	20	35	55			C+					3.5	7	PASS
49	09/11/07/05/011	19	46	65		B+						4.5	9	PASS
50	09/11/07/05/012	19	33	52				C				3.0	6	PASS
51	09/11/07/05/013	19	39	58			C+					3.5	7	PASS
52	09/11/07/05/014	22	48	70	A							5.0	10	PASS
53	09/11/07/05/015	19	46	65		B+						4.5	9	PASS
54	09/11/07/05/016	17	7	24							F	0.0	0	FAIL
55	09/11/07/05/019	19	36	55			C+					3.5	7	PASS
56	09/11/07/05/024	18	37	55			C+					3.5	7	PASS
57	09/11/07/05/025	20	31	51				C				3.0	6	PASS
58	09/11/07/05/027	19	36	55			C+					3.5	7	PASS
59	09/11/07/05/028	20	34	54				C				3.0	6	PASS
60	09/11/07/05/031	19	33	52				C				3.0	6	PASS
61	09/11/07/05/036	20	55	75	A							5.0	10	PASS
62	09/11/07/05/038	20	35	55			C+					3.5	7	PASS
63	09/11/07/05/039	19	36	55			C+					3.5	7	PASS
64	09/11/07/05/040	19	33	52				C				3.0	6	PASS
65	09/11/07/05/042	20	20	40						E		1.0	2	PASS
66	09/11/07/05/044	20	28	48					D			2.0	4	PASS
67	09/11/07/05/047	24	26	50				C				3.0	6	PASS
68	09/11/07/05/049	21	40	61			B					4.0	8	PASS
69	09/11/07/05/050	19	33	52				C				3.0	6	PASS
70	09/11/07/05/051	20	44	64			B					4.0	8	PASS
71	09/11/07/05/053	20	25	45					D			2.0	4	PASS
72	09/11/07/05/055	19	39	58			C+					3.5	7	PASS
73	09/11/07/05/056	20	35	55			C+					3.5	7	PASS
74	09/11/07/05/058	21	35	56			C+					3.5	7	PASS
75	09/11/07/05/062	18	43	61			B					4.0	8	PASS
76	09/11/07/05/063	20	29	49					D			2.0	4	PASS
77	09/11/07/05/066	20	22	42						E		1.0	2	PASS

78	09/11/07/05/068	20	26	46						D			2.0	4	PASS
79	09/11/07/05/069	19	28	47						D			2.0	4	PASS
80	09/11/07/05/075	20	37	57				C+					3.5	7	PASS
81	09/11/07/05/077	19	36	55				C+					3.5	7	PASS
82	09/11/07/05/081	19	43	62				B					4.0	8	PASS
83	09/11/07/05/083	18	22	40							E		1.0	2	PASS
84	09/11/07/05/085	18	43	61				B					4.0	8	PASS
85	09/11/07/05/087	18	28	46						D			2.0	4	PASS
86	09/11/07/05/088	20	42	62				B					4.0	8	PASS
87	09/11/07/05/090	21	42	63				B					4.0	8	PASS
88	09/11/07/05/091	21	30	51						C			3.0	6	PASS
89	09/11/07/05/096	20	31	51						C			3.0	6	PASS
90	09/11/07/05/097	22	23	45							D		2.0	4	PASS
91	09/11/07/05/099	19	43	62				B					4.0	8	PASS
92	09/11/07/05/100	20	46	66			B+						4.5	9	PASS
93	09/11/07/05/102	20	42	62				B					4.0	8	PASS
94	09/11/07/05/103	19	46	65				B+					4.5	9	PASS
95	09/11/07/05/104	20	38	58						C+			3.5	7	PASS
96	09/11/07/05/105	20	29	49							D		2.0	4	PASS
97	09/11/07/05/107	19	43	62				B					4.0	8	PASS
98	09/11/07/05/108	19	28	47							D		2.0	4	PASS
99	09/11/07/05/109	20	24	44								E	1.0	2	PASS
100	09/11/07/05/110	20	43	63				B					4.0	8	PASS
101	09/11/07/05/114	19	37	56						C+			3.5	7	PASS
102	09/11/07/05/120	20	31	51							C		3.0	6	PASS
103	09/11/07/05/122	19	26	45								D	2.0	4	PASS
104	09/11/07/05/123	20	23	43								E	1.0	2	PASS
105	09/11/07/05/124	19	27	46								D	2.0	4	PASS
106	09/11/07/05/125	24	41	65			B+						4.5	9	PASS
107	09/11/07/05/127	20	26	46								D	2.0	4	PASS
108	09/11/07/05/128	20	23	43								E	1.0	2	PASS
109	09/11/07/05/129	20	30	50							C		3.0	6	PASS
110	09/11/07/05/131	20	40	60				B					4.0	8	PASS
111	09/11/07/05/132	19	38	57						C+			3.5	7	PASS
112	09/11/07/05/135	20	34	54							C		3.0	6	PASS
113	09/11/07/05/136	19	32	51							C		3.0	6	PASS
114	09/11/07/05/137	20	34	54							C		3.0	6	PASS
115	09/11/07/05/139	20	33	53							C		3.0	6	PASS
116	09/11/07/05/141	19	32	51							C		3.0	6	PASS
117	09/11/07/05/142	19	34	53							C		3.0	6	PASS
118	09/11/07/05/144	21	49	70	A								5.0	10	PASS
119	09/11/07/05/146	20	31	51							C		3.0	6	PASS
120	09/11/07/05/147	19	28	47								D	2.0	4	PASS
121	09/11/07/05/149	20	35	55						C+			3.5	7	PASS

122	09/11/07/05/152	20	30	50					C				3.0	6	PASS
123	09/11/07/05/153	20	20	40							E		1.0	2	PASS
124	09/11/07/05/160	21	38	59				C+					3.5	7	PASS
125	09/11/07/05/161	20	25	45							D		2.0	4	PASS
126	09/11/07/05/162	19	43	62				B					4.0	8	PASS
127	09/11/07/05/165	20	43	63				B					4.0	8	PASS
128	09/11/07/05/166	20	25	45							D		2.0	4	PASS
129	09/11/07/05/167	19	32	51					C				3.0	6	PASS
130	09/11/07/05/169	19	29	48							D		2.0	4	PASS
131	09/11/07/05/171	20	35	55				C+					3.5	7	PASS
132	09/11/07/05/174	20	46	66		B+							4.5	9	PASS
133	09/11/07/05/175	20	21	41							E		1.0	2	PASS
134	09/11/07/05/176	21	29	50					C				3.0	6	PASS
135	09/11/07/05/177	19	28	47							D		2.0	4	PASS
136	09/11/07/05/178	20	31	51					C				3.0	6	PASS
137	09/11/07/05/179	19	27	46							D		2.0	4	PASS
138	09/11/07/05/181	20	33	53					C				3.0	6	PASS
139	09/11/07/05/182	19	29	48							D		2.0	4	PASS
140	09/11/07/05/184	20	48	68		B+							4.5	9	PASS
141	09/11/07/05/186	20	33	53					C				3.0	6	PASS
142	09/11/07/05/187	20	23	43							E		1.0	2	PASS
143	09/11/07/05/188	20	31	51					C				3.0	6	PASS
144	09/11/07/05/189	20	35	55				C+					3.5	7	PASS
145	09/11/07/05/192	20	33	53					C				3.0	6	PASS
146	09/11/07/05/194	21	50	71	A								5.0	10	PASS
147	09/11/07/05/195	20	36	56				C+					3.5	7	PASS
148	09/11/07/05/199	20	35	55				C+					3.5	7	PASS
149	09/11/07/05/200	21	39	60				B					4.0	8	PASS
150	09/11/07/05/202	19	42	61				B					4.0	8	PASS
151	09/11/07/05/205	20	32	52					C				3.0	6	PASS
152	09/11/07/05/206	21	37	58				C+					3.5	7	PASS
153	09/11/07/05/207	20	39	59				C+					3.5	7	PASS
154	09/11/07/05/209	21	37	58				C+					3.5	7	PASS
155	09/11/07/05/210	19	32	51					C				3.0	6	PASS
156	09/11/07/05/212	21	54	75	A								5.0	10	PASS
157	09/11/07/05/214	20	23	43							E		1.0	2	PASS
158	09/11/07/05/215	20	27	47							D		2.0	4	PASS
159	09/11/07/05/217	20	34	54					C				3.0	6	PASS
160	09/11/07/05/222	20	48	68		B+							4.5	9	PASS
161	09/11/07/05/223	20	33	53					C				3.0	6	PASS
	Summary:				6	12	30	40	39	22	11	1			161